


LOAN DOCUMENT

		PHOTOGRAPH THIS SHEET		①
		LEVEL		
DTIC ACCESSION NUMBER		Evaluation of Elastomeric Polymes . . .		
		DOCUMENT IDENTIFICATION Dec 95		
		DISTRIBUTION STATEMENT A Approved for Public Release Distribution Unlimited		
		DISTRIBUTION STATEMENT		
ACCESSION FOR				
NTIS <input type="checkbox"/> GRAM <input type="checkbox"/>				
DTIC <input type="checkbox"/> TRAC <input type="checkbox"/>				
UNANNOUNCED <input type="checkbox"/>				
JUSTIFICATION				
BY				
DISTRIBUTION/				
AVAILABILITY CODES				
DISTRIBUTION				
A-1				
AVAILABILITY AND/OR SPECIAL				
DISTRIBUTION STAMP		DATE ACCESSIONED		
20010117 028		DATE RETURNED		
		REGISTERED OR CERTIFIED NUMBER		
DATE RECEIVED IN DTIC		PHOTOGRAPH THIS SHEET AND RETURN TO DTIC-FDAC		

H
A
N
D
L
E
W
I
T
H
C
A
R
E

McClellan Air Force Base

Evaluation of Elastomeric Polymer Filter Media



Technology Demonstration
Technical Memorandum

FINAL
Volume II: Appendices

DECEMBER 1995

AQ M01-03-0726

DEFENSE TECHNICAL INFORMATION CENTER
REQUEST FOR SCIENTIFIC AND TECHNICAL REPORTS

Title

AFCEE Collection

1. Report Availability (Please check one box)

- ☒ This report is available. Complete sections 2a - 2f.
☐ This report is not available. Complete section 3.

2a. Number of
Copies Forwarded

Leach

2b. Forwarding Date

July/2000

2c. Distribution Statement (Please check ONE box)

DoD Directive 5230.24, "Distribution Statements on Technical Documents," 18 Mar 87, contains seven distribution statements, as described briefly below. Technical documents MUST be assigned a distribution statement.

- ☒ DISTRIBUTION STATEMENT A: Approved for public release. Distribution is unlimited.
- ☐ DISTRIBUTION STATEMENT B: Distribution authorized to U.S. Government Agencies only.
- ☐ DISTRIBUTION STATEMENT C: Distribution authorized to U.S. Government Agencies and their contractors.
- ☐ DISTRIBUTION STATEMENT D: Distribution authorized to U.S. Department of Defense (DoD) and U.S. DoD contractors only.
- ☐ DISTRIBUTION STATEMENT E: Distribution authorized to U.S. Department of Defense (DoD) components only.
- ☐ DISTRIBUTION STATEMENT F: Further dissemination only as directed by the controlling DoD office indicated below or by higher authority.
- ☐ DISTRIBUTION STATEMENT X: Distribution authorized to U.S. Government agencies and private individuals or enterprises eligible to obtain export-controlled technical data in accordance with DoD Directive 5230.25, Withholding of Unclassified Technical Data from Public Disclosure, 6 Nov 84.

2d. Reason For the Above Distribution Statement (in accordance with DoD Directive 5230.24)

2e. Controlling Office

HQ AFCEE

2f. Date of Distribution Statement
Determination

15 Nov 2000

3. This report is NOT forwarded for the following reasons. (Please check appropriate box)

- ☐ It was previously forwarded to DTIC on _____ (date) and the AD number is _____
- ☐ It will be published at a later date. Enter approximate date if known. _____
- ☐ In accordance with the provisions of DoD Directive 3200.12, the requested document is not supplied because: _____

Print or Type Name

Laura Peña

Signature

Laura Peña

Telephone

210-536-1431

(For DTIC Use Only)

AQ Number

M01-03-0726

EVALUATION OF ELASTOMERIC POLYMER FILTER MEDIA
TECHNOLOGY DEMONSTRATION TECHNICAL MEMORANDUM

VOLUME II

FINAL

PREPARED FOR:

McCLELLAN AIR FORCE BASE/EMR
5050 DUDLEY BOULEVARD, SUITE 3
McCLELLAN AFB, CALIFORNIA 95652-1389

12 December 1995

PREPARED BY:

Radian Corporation
10389 Old Placerville Road
Sacramento, California 95827

USAF CONTRACT NO. F04699-93-D-0018/8025
CONTRACTOR CONTRACT NO. 602-125, DELIVERY ORDER NO. 8025

United States Air Force
Sacramento Air Logistics Command Environmental Management and Restoration
McClellan AFB, California 95652-1036

APPENDIX A

Analytical Data Sheets

@ AIR TOXICS LTD.

AN ENVIRONMENTAL ANALYTICAL LABORATORY

WORK ORDER #: 9509057A

Work Order Summary

CLIENT: Ms. Carol Kontonickas
Radian Corporation
10389 Old Placerville Road
Sacramento, CA 95827

BILL TO: Subcontracts Payable
Radian Corporation
P.O. Box 201088
Austin, TX 78720-1088

PHONE: 916-857-7448
FAX: 916-362-2318
DATE RECEIVED: 9/7/95
DATE COMPLETED: 9/14/95

INVOICE # 7960
SUBCONTRACT # S00256066
PROJECT # 602-125-80-10 McClellan Polymer
AMOUNT\$: \$205.00

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT</u> <u>VAC./PRES.</u>	<u>PRICE</u>
01A	POLY VN 315-001	TO-14	3.0 "Hg	\$205.00
02A	Method Spike	TO-14	NA	NC
03A	Lab Blank	TO-14	NA	NC

9/26/95
one quat
TEE St

CERTIFIED BY: Isabella C. Cuame
Laboratory Director

DATE: 9/14/95

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630
(916) 985-1000 • (800) 985-5955 • FAX (916) 985-1020

AIR TOXICS LTD.

SAMPLE NAME: POLY VN 315-001

ID#: 9509057A-01A

EPA METHOD TO-14 GC/MS Full Scan

File Name:

5090807

Date of Collection: 9/7/95

Dil. Factor:

2200

Date of Analysis: 9/8/95

Analyst's Initials:

BM

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	1100	Not Detected
1,1-Dichloroethene	1100	Not Detected
Freon 113	1100	Not Detected
cis-1,2-Dichloroethene	1100	26000 ✓
Chloroform	1100	2600 ✓
1,1,1-Trichloroethane	1100	Not Detected
Benzene	1100	5000 ✓
Trichloroethene	1100	1200000 E ✓ +
Toluene	1100	1900 ✓
Tetrachloroethene	1100	Not Detected
m,p-Xylene	1100	7500 ✓
o-Xylene	1100	6900 ✓
Acetone	4400	Not Detected

E = Exceeds instrument calibration range, but within linear range.

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	82	70-130
Toluene-d8	96	70-130
4-Bromofluorobenzene	81	70-130

AIR TOXICS LTD.

SAMPLE NAME: Method Spike

ID#: 9509057A-02A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 5090802 / 5090803

Date of Collection: NA

Dil. Factor: 1.0

Date of Analysis: 9/8/95

Analyst's Initials: MH

Compound	Det. Limit (ppbv)	% Recovery
Vinyl Chloride	0.50	76
1,1-Dichloroethene	0.50	96
Freon 113	0.50	106
cis-1,2-Dichloroethene	0.50	107
Chloroform	0.50	99
1,1,1-Trichloroethane	0.50	101
Benzene	0.50	102
Trichloroethene	0.50	127
Toluene	0.50	120
Tetrachloroethene	0.50	114
m,p-Xylene	0.50	94
o-Xylene	0.50	99
Acetone	2.0	70

Container Type: NA

Surrogates	% Recovery	Method Limits
Octafluorotoluene	87 / 83	70-130
Toluene-d8	98 / 99	70-130
4-Bromofluorobenzene	84 / 84	70-130

AIR TOXICS LTD.

SAMPLE NAME: Lab Blank

ID#: 9509057A-03A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 5090806

Date of Collection: NA

Dil. Factor: 1.0

Date of Analysis: 9/8/95

Analyst's Initials: MH

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	0.50	Not Detected
1,1-Dichloroethene	0.50	Not Detected
Freon 113	0.50	Not Detected
cis-1,2-Dichloroethene	0.50	Not Detected
Chloroform	0.50	Not Detected
1,1,1-Trichloroethane	0.50	Not Detected
Benzene	0.50	Not Detected
Trichloroethene	0.50	Not Detected
Toluene	0.50	Not Detected
Tetrachloroethene	0.50	Not Detected
m,p-Xylene	0.50	Not Detected
o-Xylene	0.50	Not Detected
Acetone	2.0	Not Detected

Container Type: NA

Surrogates	% Recovery	Method Limits
Octafluorotoluene	86	70-130
Toluene-d8	95	70-130
4-Bromofluorobenzene	79	70-130

2506057

**10389 ROCKINGHAM ROAD, SACRAMENTO, CA 95827
(916) 362-5332**

1008

WHITE - COORDINATOR / GOLDENROD - PROJECT DIRECTOR / PINK - SAMPLE CONTROL / YELLOW - LABORATORY / BLUE - LABORATORY RECEIPT

@ AIR TOXICS LTD.

AN ENVIRONMENTAL ANALYTICAL LABORATORY

WORK ORDER #: 9509057B

Work Order Summary

CLIENT: Ms. Carol Kontonickas
Radian Corporation
10389 Old Placerville Road
Sacramento, CA 95827

BILL TO: Subcontracts Payable
Radian Corporation
P.O. Box 201088
Austin, TX 78720-1088

PHONE: 916-857-7448

FAX: 916-362-2318

DATE RECEIVED: 9/7/95

DATE COMPLETED: 9/14/95

INVOICE # 7960

SUBCONTRACT # S00256066

PROJECT # 602-125-80-10 McClellan Polymer

AMOUNT\$: \$50.00

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT</u> <u>VAC./PRES.</u>	<u>PRICE</u>
01A	POLY VN 315-001	Mod. Method 18	3.0 "Hg	\$50.00
02A	Method Spike	Mod. Method 18	NA	NC
03A	Lab Blank	Mod. Method 18	NA	NC

S
9/26/95

CERTIFIED BY: Sabell C. Crane
for Laboratory Director

DATE: 9/14/95

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630
(916) 985-1000 • (800) 985-5955 • FAX (916) 985-1020

AIR TOXICS LTD.

Vinyl Chloride by Modified EPA Method 18 Pre-Fractionator GC/PID

Field	Lab	File	Sample	Analyzed	Dilution	Det. Limit	Amount
Sample I.D.	Sample I.D.	Name	Date	For	Factor	(ppbv)	(ppbv)
POLY VN 315-001	9509057B-01A	A090817	9/7/95	Vinyl Chloride	2.2	110	3100
Lab Blank	9509057B-03A	A090816	NA	Vinyl Chloride	1.0	50	Not Detected
Spiked Sample							% Recovery
Method Spike	9509057B-02A	A090814	NA	Vinyl Chloride	1.0	50	97

Analysis Date: 9/8/95

Container Type: 1 Liter Summa Canister

Analyst's Initials: JS

Comments: NA = Not Applicable

9509575
80071008

[illegible]

WHITE - COORDINATOR / GOLDENROD - PROJECT DIRECTOR / PINK - SAMPLE CONTROL / YELLOW - LABORATORY / BLUE - LABORATORY RECEIPT

@ AIR TOXICS LTD.

AN ENVIRONMENTAL ANALYTICAL LABORATORY

WORK ORDER #: 9509097A

Work Order Summary

CLIENT:

Ms. Carol Kontonickas
Radian Corporation
10389 Old Placerville Road
Sacramento, CA 95827

BILL TO: Subcontracts Payable

Radian Corporation
P.O. Box 201088
Austin, TX 78720-1088

PHONE:

916-857-7448

FAX:

916-362-2318

DATE RECEIVED:

9/13/95

DATE COMPLETED:

9/22/95

INVOICE # 8033

SUBCONTRACT # S00256066

PROJECT # 602-125-80-10 McClellan Polymer

AMOUNT\$: \$410.00

FRACTION #

01A

02A

03A

04A

NAME

POLY AIN 002

POLY AEN 003

Method Spike

Lab Blank

TEST

TO-14

TO-14

TO-14

TO-14

RECEIPT**VAC./PRES.**

6.5 "Hg

6.5 "Hg

NA

NA

PRICE

\$205.00

\$205.00

NC

NC

CERTIFIED BY:

Jenida S. Fumara
Laboratory Director

DATE:

9/22/95

S
9/22/95
2 samples VC
JT
Spike out
high

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630
(916) 985-1000 • (800) 985-5955 • FAX (916) 985-1020

AIR TOXICS LTD.

SAMPLE NAME: POLY AIN 002

ID#: 9509097A-01A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9091308

Date of Collection: 9/12/95

Dil. Factor: 3200

Date of Analysis: 9/13/95

Analyst's Initials: BJM

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	1600	2900
1,1-Dichloroethene	1600	Not Detected
Freon 113	1600	Not Detected
cis-1,2-Dichloroethene	1600	19000
Chloroform	1600	2200
1,1,1-Trichloroethane	1600	Not Detected
Benzene	1600	4300
Trichloroethene	1600	660000 E
Toluene	1600	1800
Tetrachloroethene	1600	Not Detected
m,p-Xylene	1600	6900
o-Xylene	1600	5300
Acetone	6400	Not Detected

E = Exceeds Instrument calibration range, but within linear range.

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	99	70-130
Toluene-d8	108	70-130
4-Bromofluorobenzene	101	70-130

AIR TOXICS LTD.

SAMPLE NAME: POLY AEN 003

ID#: 9509097A-02A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9091309
Dil. Factor: 570
Analyst's Initials: BJM

Date of Collection: 9/12/95

Date of Analysis: 9/13/95

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	290	2000 ✓+
1,1-Dichloroethene	290	390
Freon 113	290	Not Detected
cis-1,2-Dichloroethene	290	3500
Chloroform	290	700
1,1,1-Trichloroethane	290	Not Detected
Benzene	290	Not Detected
Trichloroethene	290	71000
Toluene	290	Not Detected
Tetrachloroethene	290	Not Detected
m,p-Xylene	290	Not Detected
o-Xylene	290	Not Detected
Acetone	1100	Not Detected

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	110	70-130
Toluene-d8	117	70-130
4-Bromofluorobenzene	105	70-130

AIR TOXICS LTD.

SAMPLE NAME: Method Spike

ID#: 9509097A-03A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9091302

Date of Collection: NA

Dil. Factor: 1.0

Date of Analysis: 9/13/95

Analyst's Initials: DP

Compound	Det. Limit (ppbv)	% Recovery
Vinyl Chloride	0.50	138 Q ✓
1,1-Dichloroethene	0.50	108
Freon 113	0.50	108
cis-1,2-Dichloroethene	0.50	106
Chloroform	0.50	102
1,1,1-Trichloroethane	0.50	102
Benzene	0.50	112
Trichloroethene	0.50	97
Toluene	0.50	102
Tetrachloroethene	0.50	91
m,p-Xylene	0.50	93
o-Xylene	0.50	98
Acetone	2.0	101

Q = Exceeds Quality Control limits.

Container Type: NA

Surrogates	% Recovery	Method Limits
Octafluorotoluene	96	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	104	70-130

AIR TOXICS LTD.

SAMPLE NAME: Lab Blank

ID#: 9509097A-04A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9091305 Date of Collection: NA
Dil. Factor: 1.0 Date of Analysis: 9/13/95
Analyst's Initials: DP

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	0.50	Not Detected
1,1-Dichloroethene	0.50	Not Detected
Freon 113	0.50	Not Detected
cis-1,2-Dichloroethene	0.50	Not Detected
Chloroform	0.50	Not Detected
1,1,1-Trichloroethane	0.50	Not Detected
Benzene	0.50	Not Detected
Trichloroethene	0.50	Not Detected
Toluene	0.50	Not Detected
Tetrachloroethene	0.50	Not Detected
m,p-Xylene	0.50	Not Detected
o-Xylene	0.50	Not Detected
Acetone	2.0	Not Detected

Container Type: NA

Surrogates	% Recovery	Method Limits
Octafluorotoluene	93	70-130
Toluene-d8	99	70-130
4-Bromofluorobenzene	97	70-130

CORPORATION
10389 ROCKINGHAM ROAD, SACRAMENTO, CA 95827
(916) 362-5332

TASK OR SUB TASK (one per form):

POLYMER EVALUATION

CONTRACT NAME: MCCLELLAN

CHARGE NUMBER: 602 125 . X0 . 10

LABORATORY NAME & ADDRESS:

U.S. AIR FORCE

180 PAGE 04/05 13

1941-1942

[illegible]

WHITE - COORDINATOR / GOLDENROD - PROJECT DIRECTOR / PINK - SAMPLE CONTROL / YELLOW - LABORATORY / BLUE - LABORATORY RECEIPT

TAKE TWO TOP COPIES

@ AIR TOXICS LTD.

AN ENVIRONMENTAL ANALYTICAL LABORATORY

WORK ORDER #: 9509097B

Work Order Summary

CLIENT: Ms. Carol Kontonickas
Radian Corporation
10389 Old Placerville Road
Sacramento, CA 95827

BILL TO: Subcontracts Payable
Radian Corporation
P.O. Box 201088
Austin, TX 78720-1088

PHONE: 916-857-7448

FAX: 916-362-2318

DATE RECEIVED: 9/13/95

DATE COMPLETED: 9/22/95

INVOICE # 8033

SUBCONTRACT # S00256066

PROJECT # 602-125-80-10 McClellan Polymer

AMOUNT\$: \$100.00

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT</u> <u>VAC./PRES.</u>	<u>PRICE</u>
01A	POLY AIN 002	Mod. Method 18	6.5 "Hg	\$50.00
02A	POLY AEN 003	Mod. Method 18	6.5 "Hg	\$50.00
03A	Method Spike	Mod. Method 18	NA	NC
04A	Lab Blank	Mod. Method 18	NA	NC

3
9/27/95
OK

CERTIFIED BY: Jinda S. Freeman
Laboratory Director

DATE: 9/22/95

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630
(916) 985-1000 • (800) 985-5955 • FAX (916) 985-1020

AIR TOXICS LTD.

Vinyl Chloride by Modified EPA Method 18 Pre-Fractionator GC/PID

Field Sample I.D.	Lab Sample I.D.	File Name	Sample Date	Analyzed For	Dilution Factor	Det. Limit (ppbv)	Amount (ppbv)
POLY AIN 002	9509097B-01A	A0913005	9/12/95	Vinyl Chloride	2.6	130	3700
POLY AEN 003	9509097B-02A	A0913006	9/12/95	Vinyl Chloride	2.6	130	4000
Lab Blank	9509097B-04A	A0913002	NA	Vinyl Chloride	1.0	50	Not Detected
Spiked Sample							% Recovery
Method Spike	9509097B-03A	A0913001	NA	Vinyl Chloride	1.0	50	108

Analysis Date: 9/13/95

Container Type: 1 Liter Summa Canister

Analyst's Initials: JS

Comments: NA = Not Applicable

RADIAN
CORPORATION

**USE A BALLPOINT PEN AND PRESS FIRMLY
THE INSTRUCTIONS FOR FILLING OUT
THIS FORM ARE ON THE BACK**

10389 ROCKINGHAM ROAD, SACRAMENTO, CA 95827
(916) 362-5332

[illegible]

*WHITE - COORDINATOR / GOLDENROD - PROJECT DIRECTOR / PINK - SAMPLE CONTROL / YELLOW - LABORATORY / BLUE - LABORATORY RECEIPT

@ AIR TOXICS LTD.

AN ENVIRONMENTAL ANALYTICAL LABORATORY

WORK ORDER #: 9509107A

Work Order Summary

CLIENT: Ms. Carol Kontonickas
Radian Corporation
10389 Old Placerville Road
Sacramento, CA 95827

BILL TO: Subcontracts Payable
Radian Corporation
P.O. Box 201088
Austin, TX 78720-1088

PHONE: 916-857-7448

FAX: 916-362-2318

DATE RECEIVED: 9/14/95

DATE COMPLETED 9/22/95

INVOICE # 8034

SUBCONTRACT # S00256066

PROJECT # 602-125-80-10 McClellan Polymer

AMOUNT\$: \$820.00

FRACTION

NAME

TEST

RECEIPT

VAC./PRES.

PRICE

01A	POLY AIN 004	TO-14	5.5 "Hg	\$205.00
02A	POLY AEN 005	TO-14	6.0 "Hg	\$205.00
03A	POLY AEX 006	TO-14	5.5 "Hg	\$205.00
04A	POLY AEN 007 *	TO-14	5.5 "Hg	\$205.00
05A	Method Spike	TO-14	NA	NC
06A	Lab Blank	TO-14	NA	NC

5
9/27/95
one sample
TCE, VC
flagged.

CERTIFIED BY:

Amie A. Fumar

Laboratory Director

DATE:

9/22/95

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630
(916) 985-1000 • (800) 985-5955 • FAX (916) 985-1020

AIR TOXICS LTD.

SAMPLE NAME: POLY AIN 004

ID#: 9509107A-01A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9091407

Date of Collection: 9/13/95

Dil. Factor: 4900

Date of Analysis: 9/14/95

Analyst's Initials: BJM

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	2500	Not Detected
1,1-Dichloroethene	2500	Not Detected
Freon 113	2500	Not Detected
cis-1,2-Dichloroethene	2500	23000
Chloroform	2500	2700
1,1,1-Trichloroethane	2500	Not Detected
Benzene	2500	4700
Trichloroethene	2500	780000
Toluene	2500	Not Detected
Tetrachloroethene	2500	Not Detected
m,p-Xylene	2500	7900
o-Xylene	2500	6400
Acetone	9800	Not Detected

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	104	70-130
Toluene-d8	105	70-130
4-Bromofluorobenzene	99	70-130

AIR TOXICS LTD.

SAMPLE NAME: POLY AEN 005

ID#: 9509107A-02A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9091408 Date of Collection: 9/13/95
Dil. Factor: 2500 Date of Analysis: 9/14/95
Analyst's Initials: BJM

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	1300	Not Detected
1,1-Dichloroethene	1300	Not Detected
Freon 113	1300	Not Detected
cis-1,2-Dichloroethene	1300	12000
Chloroform	1300	1300
1,1,1-Trichloroethane	1300	Not Detected
Benzene	1300	1900
Trichloroethene	1300	340000
Toluene	1300	Not Detected
Tetrachloroethene	1300	Not Detected
m,p-Xylene	1300	Not Detected
o-Xylene	1300	Not Detected
Acetone	5000	Not Detected

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	108	70-130
Toluene-d8	109	70-130
4-Bromofluorobenzene	102	70-130

AIR TOXICS LTD.

SAMPLE NAME: POLY AEX 006

ID#: 9509107A-03A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9091409

Date of Collection: 9/13/95

Dil. Factor: 3500

Date of Analysis: 9/14/95

Analyst's Initials: BJM

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	1800	Not Detected
1,1-Dichloroethene	1800	Not Detected
Freon 113	1800	Not Detected
cis-1,2-Dichloroethene	1800	19000
Chloroform	1800	2000
1,1,1-Trichloroethane	1800	Not Detected
Benzene	1800	3200
Trichloroethene	1800	540000
Toluene	1800	Not Detected
Tetrachloroethene	1800	Not Detected
m,p-Xylene	1800	Not Detected
o-Xylene	1800	Not Detected
Acetone	7000	Not Detected

Container Type: 1 Liter Summa Canister

<u>Surrogates</u>	<u>% Recovery</u>	<u>Method Limits</u>
Octafluorotoluene	94	70-130
Toluene-d8	101	70-130
4-Bromofluorobenzene	101	70-130

AIR TOXICS LTD.

SAMPLE NAME: POLY AEN 007

ID#: 9509107A-04A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9091410 Date of Collection: 9/14/95
Dil. Factor: 3500 Date of Analysis: 9/14/95
Analyst's Initials: BJM

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	1800	2000
1,1-Dichloroethene	1800	Not Detected
Freon 113	1800	Not Detected
cis-1,2-Dichloroethene	1800	26000
Chloroform	1800	2900
1,1,1-Trichloroethane	1800	Not Detected
Benzene	1800	5200
Trichloroethene	1800	900000 E
Toluene	1800	Not Detected
Tetrachloroethene	1800	Not Detected
m,p-Xylene	1800	Not Detected
o-Xylene	1800	Not Detected
Acetone	7000	Not Detected

E = Exceeds instrument calibration range, but within linear range.

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	95	70-130
Toluene-d8	101	70-130
4-Bromofluorobenzene	103	70-130

AIR TOXICS LTD.

SAMPLE NAME: Method Spike

ID#: 9509107A-05A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9091402

Date of Collection: NA

Dil. Factor: 1.0

Date of Analysis: 9/14/95

Analyst's Initials: MPG

Compound	Det. Limit (ppbv)	% Recovery
Vinyl Chloride	0.50	132 Q
1,1-Dichloroethene	0.50	110
Freon 113	0.50	108
cis-1,2-Dichloroethene	0.50	102
Chloroform	0.50	103
1,1,1-Trichloroethane	0.50	99
Benzene	0.50	112
Trichloroethene	0.50	99
Toluene	0.50	100
Tetrachloroethene	0.50	92
m,p-Xylene	0.50	92
o-Xylene	0.50	98
Acetone	2.0	91

Q = Exceeds Quality Control limits of 70% to 130%.

Container Type: NA

Surrogates	% Recovery	Method Limits
Octafluorotoluene	95	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	102	70-130

AIR TOXICS LTD.

SAMPLE NAME: Lab Blank

ID#: 9509107A-06A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9091404 Date of Collection: NA
Dil. Factor: 1.0 Date of Analysis: 9/14/95
Analyst's Initials: MPG

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	0.50	Not Detected
1,1-Dichloroethene	0.50	Not Detected
Freon 113	0.50	Not Detected
cis-1,2-Dichloroethene	0.50	Not Detected
Chloroform	0.50	Not Detected
1,1,1-Trichloroethane	0.50	Not Detected
Benzene	0.50	Not Detected
Trichloroethene	0.50	Not Detected
Toluene	0.50	Not Detected
Tetrachloroethene	0.50	Not Detected
m,p-Xylene	0.50	Not Detected
o-Xylene	0.50	Not Detected
Acetone	2.0	Not Detected

Container Type: NA

Surrogates	% Recovery	Method Limits
Octafluorotoluene	94	70-130
Toluene-d8	102	70-130
4-Bromofluorobenzene	100	70-130

RADIAN CORPORATION

USE A BALLPOINT PEN AND PRESS FIRMLY
THE INSTRUCTIONS FOR FILLING OUT
THIS FORM ARE ON THE BACK

TASK OR SUB TASK (one per form):

LABORATORY NAME & ADDRESS:

THE

AIR TOXICS LTD

CONTRACT NAME:	ACQUEDUCT AND	1990
	1990	1990

CHARGE NUMBER: 602-125 - 20-0	FILE NO. 6A - 15030
-------------------------------	---------------------

SAMPLE NUMBER	COLLECTION		SAMPLERS INITIALS	NUMBER OF UNITS	UNIT QUANTITY	MATRIX CODE	PRESERVATIVE	TYPE OF ANALYSIS	DISPOSAL DATE/REMARKS	DISPOSALERS INITIALS
	DATE	TIME								
1004 AIN WA	09/10/10	1700	KEE	1	1L	V	/	TU-14 + INTERNAL	5.5"Hg	
1004 AENOS	09/10/10	1200	KEE	1	1L	V	/	TU-14 + INTERNAL	6.0"Hg	
1004 AEXOD	09/10/10	1200	KEE	1	1L	V	/	TU-14 + INTERNAL	5.5"Hg	
NOTE	ANALYZE SAMPLES 4005 + 4006									
	USING PRECAUTIONARY ONLY									
	IF VINYL CHLORIDE IS DETECTED									
	IN SAMPLE 4004									

RELEASED BY		DATE	TIME	COMMENTS:			
Kelli V. [Signature]		9/14/95	8:20	Cordillera was received good - Hand Delivered Custody Seafinette - N None (1) Temp. - 100°F			
RECEIVED BY		DATE	TIME	RELINQUISHED BY		DATE	TIME
[Signature]		9/14/95	8:20	[Signature] & [Signature]		9/14/95	8:20
		1 1	:			1 1	:
		1 1	:			1 1	:
		1 1	:			1 1	:
		1 1	:			1 1	:
[Signature] ATC		9/14/95	8:20				
DISPOSAL CONFIRMED BY		DATE	TIME	CHAIN-OF-CUSTODY RETURNED BY		DATE	TIME
[Signature]		1 1	:			1 1	:

WHITE - COORDINATOR / GOLDENROD - PROJECT DIRECTOR / PINK - SAMPLE CONTROL / GREEN - LABORATORY / BLUE - ACCOUNTING / RECEIPT

RAPMAN [redacted] LITF [redacted] TIF [redacted] 2. C. JIES [redacted]

Condition when received **good**

9509107A
1010

RADIAN CORPORATION

**USE A BALLPOINT PEN AND PRESS FIRMLY
THE INSTRUCTIONS FOR FILLING OUT
THIS FORM ARE ON THE BACK**

**10389 ROCKINGHAM ROAD, SACRAMENTO, CA 95827
(916) 362-5332**

TASK OR SUB TASK (one per form):

McAFB PAYMER TS

LABORATORY NAME & ADDRESS:

AIR TOXICS LTD

CONTRACT NAME: DO 8025	180 BLUE RAVINE RD. SUITE B
------------------------	-----------------------------

CHARGE NUMBER: 602-125-80-10	FOLSOM, CA 95630	RE
------------------------------	------------------	----

FOLSOM, CA 95630

[illegible]

RELEASED BY	DATE	TIME	COMMENTS:
James T. Hunsberger	9/14/95	12:11	
RECEIVED BY	DATE	TIME	RELINQUISHED BY
[Signature]	9/14/95	12:11	[Signature]
	1/1	:	1/1
	1/1	:	1/1
	1/1	:	1/1
	9/14/95	12:10	1/1
DISPOSAL CONFIRMED BY	DATE	TIME	CHAIN-OF-CUSTODY RETURNED BY
[Signature] ATZ	9/14/95	12:10	1/1
	1/1	:	1/1

WHITE - COORDINATOR / GOLDENROD - PROJECT DIRECTOR / PINK - SAMPLE CONTROL / YELLOW - LABORATORY / BLUE - LABORATORY RECEIPT

1-11-77 2 copies

ကုမ္ပဏီအသစ်တစ်ခု

Custody Seal intact? Y N None

Temp. August

9509107A

1011



AN ENVIRONMENTAL ANALYTICAL LABORATORY

WORK ORDER #: 9509107B

Work Order Summary

CLIENT: Ms. Carol Kontonickas
Radian Corporation
10389 Old Placerville Road
Sacramento, CA 95827

BILL TO: Subcontracts Payable
Radian Corporation
P.O. Box 201088
Austin, TX 78720-1088

PHONE: 916-857-7448

FAX: 916-362-2318

DATE RECEIVED: 9/14/95

DATE COMPLETED: 9/22/95

INVOICE # 8034

SUBCONTRACT # S00256066

PROJECT # 602-125-80-10 McClellan Polymer

AMOUNTS: \$200.00

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT</u>	
			<u>VAC./PRES.</u>	<u>PRICE</u>
01A	POLY AIN 004	Mod. Method 18	5.5 "Hg	\$50.00
02A	POLY AEN 005	Mod. Method 18	6.0 "Hg	\$50.00
03A	POLY AEX 006	Mod. Method 18	5.5 "Hg	\$50.00
04A	POLY AEN 007	Mod. Method 18	5.5 "Hg	\$50.00
05A	Method Spike	Mod. Method 18	NA	NC
06A	Lab Blank	Mod. Method 18	NA	NC

CERTIFIED BY

Amila S. Kumar

Laboratory Director

DATE:

9/22/95

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630
(916) 985-1000 • (800) 985-5955 • FAX (916) 985-1020

AIR TOXICS LTD.

Vinyl Chloride by Modified EPA Method 18 Pre-Fractionator GC/PID

Field	Lab	File	Sample	Analyzed	Dilution	Det. Limit	Amount
Sample I.D.	Sample I.D.	Name	Date	For	Factor	(ppbv)	(ppbv)
POLY AIN 004	9509107B-01A	A0914015	9/13/95	Vinyl Chloride	5.0	250	2800
POLY AEN 005	9509107B-02A	A0914016	9/13/95	Vinyl Chloride	2.5	130	1200
POLY AEX 006	9509107B-03A	A0914017	9/13/95	Vinyl Chloride	2.5	130	1900
POLY AEN 007	9509107B-04A	A0914018	9/14/95	Vinyl Chloride	2.5	130	2600
Lab Blank	9509107B-06A	A0914014	NA	Vinyl Chloride	1.0	50	Not Detected
Spiked Sample							% Recovery
Method Spike	9509107B-05A	A0914013	NA	Vinyl Chloride	1.0	50	101

Analysis Date: 9/14/95

Container Type: 1 Liter Summa Canister

Analyst's Initials: JS

Comments: NA = Not Applicable

RADIAN CORPORATION

**USE A BALLPOINT PEN AND PRESS FIRMLY
THE INSTRUCTIONS FOR FILLING OUT
THIS FORM ARE ON THE BACK**

10389 ROCKINGHAM ROAD, SACRAMENTO, CA 95827
(916) 362-5332

9509107B

0101

TASK OR SUB TASK (one per form):			LABORATORY NAME & ADDRESS:							
POLYMER EVALUATION			AIE TOXICS LTD							
CONTRACT NAME: MCDONALD 1044192			150 BLUE EAGLE SUITE B							
CHARGE NUMBER: 502-125-3040			FOLSOM, CA 95630							
SAMPLE NUMBER	COLLECTION		SAMPLERS INITIALS	NUMBER OF UNITS	UNIT QUANTITY	MATRIX CODE	PRESERVATIVE	TYPE OF ANALYSIS	DISPOSAL DATE	DISPOSAL'S INITIALS
	DATE	TIME								
POLY AIN 004	09/14/95	1200	CGK	1	1L	V	/	TD-14 + PREPAC		
POLY AEN 005	09/14/95	1200	CGK	1	1L	V	/	TD-14 SEC 1407		
POLY AEX 006	09/14/95	1200	CGK	1	1L	V	/	TD-14 SEC 1407		
NOTE ANALYZE SAMPLES Q005 + Q006										
USING PREPAC MONITOR ONLY										
IF VINYL CHLORIDE IS DETECTED										
IN SAMPLE Q004										
RELEASED BY			DATE	TIME	COMMENTS:					
J. J. J. J. J.			9/14/95	8:20	Condition when received: good - hand delivered					
RECEIVED BY			DATE	TIME	Custody Seal intact? Y N None (M) temp. (M) other					
J. J. J. J. J.			9/14/95	8:20	M. J. J. J. J.					
			11	:	11					
			11	:	11					
			11	:	11					
			11	:	11					
Disposal Confirmed By			DATE	TIME	CHAIN-OF-CUSTODY RETURNED BY					
J. J. J. J. J.			9/14/95	8:20	J. J. J. J. J.					

WHITE - COORDINATOR / GOLDENROD - PROJECT DIRECTOR / PINK - SAMPLE CONTROL / YELLOW - LABORATORY / BLUE - LABORATORY / GREEN -
Custody Seal Intact / V. N. (None)

RADIAN

**USE A BALLPOINT PEN AND PRESS FIRMLY
THE INSTRUCTIONS FOR FILLING OUT
THIS FORM ARE ON THE BACK**

10389 ROCKINGHAM ROAD, SACRAMENTO, CA 95827
(916) 362-5332

4509107K

101

[illegible]

WHITE - COORDINATOR / GOLDENROD - PROJECT DIRECTOR / PINK - SAMPLE CONTROL / YELLOW - LABORATORY / BLUE - LABORATORY RECEIPT

התאחדות המורים והמורות

@ AIR TOXICS LTD.

AN ENVIRONMENTAL ANALYTICAL LABORATORY

WORK ORDER #: 9509134A

Work Order Summary

CLIENT: Ms. Carol Kontonickas
Radian Corporation
10389 Old Placerville Road
Sacramento, CA 95827

BILL TO: Subcontracts Payable
Radian Corporation
P.O. Box 201088
Austin, TX 78720-1088

PHONE: 916-857-7448

FAX: 916-362-2318

DATE RECEIVED: 9/15/95

DATE COMPLETED: 9/22/95

INVOICE # 8035

SUBCONTRACT # S00256066

PROJECT # 602-125-80-10 McClellan Polymer

AMOUNT\$: \$205.00

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT</u> <u>VAC./PRES.</u>	<u>PRICE</u>
01A	POLY AEN-008	TO-14	5.5 "Hg	\$205.00
02A	Method Spike	TO-14	NA	NC
03A	Lab Blank	TO-14	NA	NC

CERTIFIED BY:

Jinda J. Freeman
Laboratory Director

DATE:

9/22/95
OK

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630
(916) 985-1000 • (800) 985-5955 • FAX (916) 985-1020

AIR TOXICS LTD.

SAMPLE NAME: POLY AEN-008

ID#: 9509134A-01A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9091605
Dil. Factor: 3800
Analyst's Initials: BJM

Date of Collection: 9/15/95

Date of Analysis: 9/16/95

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	1900	Not Detected
1,1-Dichloroethene	1900	Not Detected
Freon 113	1900	Not Detected
cis-1,2-Dichloroethene	1900	18000
Chloroform	1900	1900
1,1,1-Trichloroethane	1900	Not Detected
Benzene	1900	4000
Trichloroethene	1900	670000
Toluene	1900	3200
Tetrachloroethene	1900	Not Detected
m,p-Xylene	1900	14000
o-Xylene	1900	5500
Acetone	7600	Not Detected

Container Type: 1 Liter Summa Canister

<u>Surrogates</u>	<u>% Recovery</u>	<u>Method Limits</u>
Octafluorotoluene	88	70-130
Toluene-d8	103	70-130
4-Bromofluorobenzene	102	70-130

AIR TOXICS LTD.

SAMPLE NAME: Method Spike

ID#: 9509134A-02A

EPA METHOD TO-14 GC/MS Full Scan

File Name:	9091602	Date of Collection:	NA
Dil. Factor:	1.0	Date of Analysis:	9/16/95
Analyst's Initials:	BJM		

Compound	Det. Limit (ppbv)	% Recovery
Vinyl Chloride	0.50	121
1,1-Dichloroethene	0.50	94
Freon 113	0.50	90
cis-1,2-Dichloroethene	0.50	98
Chloroform	0.50	98
1,1,1-Trichloroethane	0.50	94
Benzene	0.50	106
Trichloroethene	0.50	92
Toluene	0.50	96
Tetrachloroethene	0.50	90
m,p-Xylene	0.50	99
o-Xylene	0.50	95
Acetone	2.0	106

Container Type: NA

Surrogates	% Recovery	Method Limits
Octafluorotoluene	97	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	104	70-130

AIR TOXICS LTD.

SAMPLE NAME: Lab Blank

ID#: 9509134A-03A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9091604
Dil. Factor: 1.0
Analyst's Initials: BJM

Date of Collection: NA
Date of Analysis: 9/16/95

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	0.50	Not Detected
1,1-Dichloroethene	0.50	Not Detected
Freon 113	0.50	Not Detected
cis-1,2-Dichloroethene	0.50	Not Detected
Chloroform	0.50	Not Detected
1,1,1-Trichloroethane	0.50	Not Detected
Benzene	0.50	Not Detected
Trichloroethene	0.50	Not Detected
Toluene	0.50	Not Detected
Tetrachloroethene	0.50	Not Detected
m,p-Xylene	0.50	Not Detected
o-Xylene	0.50	Not Detected
Acetone	2.0	Not Detected

Container Type: NA

<u>Surrogates</u>	<u>% Recovery</u>	<u>Method Limits</u>
Octafluorotoluene	94	70-130
Toluene-d8	104	70-130
4-Bromofluorobenzene	100	70-130

9509134

[illegible]

WHITE - COORDINATOR / GOLDENROD - PROJECT DIRECTOR / PINK - SAMPLE CONTROL / YELLOW - LABORATORY / BLUE - LABORATORY RECEIPT



AN ENVIRONMENTAL ANALYTICAL LABORATORY

WORK ORDER #: 9509134B

Work Order Summary

CLIENT: Ms. Carol Kontonickas
Radian Corporation
10389 Old Placerville Road
Sacramento, CA 95827

BILL TO: Subcontracts Payable
Radian Corporation
P.O. Box 201088
Austin, TX 78720-1088

PHONE: 916-857-7448

FAX: 916-362-2318

DATE RECEIVED: 9/15/95

DATE COMPLETED: 9/22/95

INVOICE # 8035

SUBCONTRACT # S00256066

PROJECT # 602-125-80-10 McClellan Polymer

AMOUNT\$: \$50.00

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT</u>	
			<u>VAC./PRES.</u>	<u>PRICE</u>
01A	POLY AEN-008	Mod. Method 18	5.5 "Hg	\$50.00
02A	Method Spike	Mod. Method 18	NA	NC
03A	Lab Blank	Mod. Method 18	NA	NC

S
9/20/95
OK

CERTIFIED BY:

Jenna J. Freeman
Laboratory Director

DATE:

9/22/95

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630
(916) 985-1000 • (800) 985-5955 • FAX (916) 985-1020

AIR TOXICS LTD.

Vinyl Chloride by Modified EPA Method 18 Pre-Fractionator GC/PID

Field	Lab	File	Sample	Analyzed	Dilution	Det. Limit	Amount
Sample I.D.	Sample I.D.	Name	Date	For	Factor	(ppbv)	(ppbv)
POLY AEN-008	9509134B-01A	A0918B05	9/15/95	Vinyl Chloride	2.5	130	3200
Lab Blank	9509134B-03A	A0918B02	NA	Vinyl Chloride	1.0	50	Not Detected
Spiked Sample							% Recovery
Method Spike	9509134B-02A	A0918B01	NA	Vinyl Chloride	1.0	50	94

Analysis Date: 9/18/95

Container Type: 1 Liter Summa Canister

Analyst's Initials: JS

Comments: NA = Not Applicable

RADIAN CORPORATION

**USE A BALLPOINT PEN AND PRESS FIRMLY
THE INSTRUCTIONS FOR FILLING OUT
THIS FORM ARE ON THE BACK**

10389 ROCKINGHAM ROAD, SACRAMENTO, CA 95827
(916) 362-5332

TASK OR SUB TASK (one per form):

TASK OR SUB TASK (one per form):	POLYMER EVALUATION
MC AFB	

LABORATORY NAME & ADDRESS:

AIR TOXICS UNIT

CONTRACT NAME: DO. 8025

CHARGE NUMBER: 602-125-80-10

FÜLLUNG, C.A.

[illegible]

RELEASED BY		DATE	TIME	COMMENTS:		Condition when received	good
1111111111		1/15/15	4:55	Custody Seal intact? Y N		None	Temp. Ambient
RECEIVED BY		DATE	TIME	RELINQUISHED BY		DATE	TIME
1111111111		7/11/97	11:41	Ben A-113		7/11/97	17:00
Shurex Smith		9/15/98	17:00			11	:
		11	:			11	:
		11	:			11	:
		11	:			11	:
DISPOSAL CONFIRMED BY		DATE	TIME	CHAIN-OF-CUSTODY RETURNED BY		DATE	TIME
		11	:			11	:

WHITE - COORDINATOR / GOLDENROD - PROJECT DIRECTOR / PINK - SAMPLE CONTROL / YELLOW - LABORATORY / BLUE - LABORATORY RECEIPT

@ AIR TOXICS LTD.

AN ENVIRONMENTAL ANALYTICAL LABORATORY

WORK ORDER #: 9509168A

Work Order Summary

CLIENT: Ms. Carol Kontonickas
Radian Corporation
10389 Old Placerville Road
Sacramento, CA 95827

BILL TO: Subcontracts Payable
Radian Corporation
P.O. Box 201088
Austin, TX 78720-1088

PHONE: 916-857-7448
FAX: 916-362-2318
DATE RECEIVED: 9/19/95
DATE COMPLETED: 9/29/95

INVOICE # 8119
SUBCONTRACT # S00256066
PROJECT # 602-125-80-10 McClellan Polymer
AMOUNT\$: \$820.00

FRACTION

NAME

01A	POLY AIN-090
02A	POLY AEN-010
03A	POLY AIN-011
04A	POLY AEN-012
05A	Method Spike
06A	Lab Blank
06B	Lab Blank

TEST

TO-14
TO-14
TO-14
TO-14
TO-14
TO-14
TO-14

RECEIPT

VAC./PRES.

PRICE

6.0 "Hg	\$205.00
7.5 "Hg	\$205.00
3.0 "Hg	\$205.00
3.0 "Hg	\$205.00
NA	NC
NA	NC
NA	NC

CERTIFIED BY:

Janet A. Fournier
Laboratory Director

DATE:

9/29/95

10/11/95
3
yes good.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630
(916) 985-1000 • (800) 985-5955 • FAX (916) 985-1020

AIR TOXICS LTD.

SAMPLE NAME: POLY AIN-090

ID#: 9509168A-01A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9091913

Date of Collection: 9/18/95

Dil. Factor: 3400

Date of Analysis: 9/19/95

Analyst's Initials: EV

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	1700	2600 J+
1,1-Dichloroethene	1700	Not Detected
Freon 113	1700	Not Detected
cis-1,2-Dichloroethene	1700	21000
Chloroform	1700	2300
1,1,1-Trichloroethane	1700	Not Detected
Benzene	1700	3400
Trichloroethene	1700	760000 E J+
Toluene	1700	Not Detected
Tetrachloroethene	1700	Not Detected
m,p-Xylene	1700	8700
o-Xylene	1700	7500
Acetone	6800	11000

E = Exceeds instrument calibration range, but within linear range.

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	102	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	90	70-130

AIR TOXICS LTD.

SAMPLE NAME: POLY AEN-010

ID#: 9509168A-02A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9091914 Date of Collection: 9/18/95
Dil. Factor: 5400 Date of Analysis: 9/19/95
Analyst's Initials: FA

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	2700	Not Detected
1,1-Dichloroethene	2700	Not Detected
Freon 113	2700	Not Detected
cis-1,2-Dichloroethene	2700	19000
Chloroform	2700	Not Detected
1,1,1-Trichloroethane	2700	Not Detected
Benzene	2700	3500
Trichloroethene	2700	650000
Toluene	2700	Not Detected
Tetrachloroethene	2700	Not Detected
m,p-Xylene	2700	14000
o-Xylene	2700	14000
Acetone	11000	Not Detected

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	88	70-130
Toluene-d8	98	70-130
4-Bromofluorobenzene	98	70-130

AIR TOXICS LTD.

SAMPLE NAME: POLY AIN-011

ID#: 9509168A-03A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9091921
Dil. Factor: 4500
Analyst's Initials: FA

Date of Collection: 9/19/95
Date of Analysis: 9/20/95

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	2300	3100 +
1,1-Dichloroethene	2300	Not Detected
Freon 113	2300	Not Detected
cis-1,2-Dichloroethene	2300	20000
Chloroform	2300	2300
1,1,1-Trichloroethane	2300	Not Detected
Benzene	2300	3800
Trichloroethene	2300	660000
Toluene	2300	Not Detected
Tetrachloroethene	2300	Not Detected
m,p-Xylene	2300	9300
o-Xylene	2300	7200
Acetone	9000	Not Detected

Container Type: 1 Liter Summa Canister

<u>Surrogates</u>	<u>% Recovery</u>	<u>Method Limits</u>
Octafluorotoluene	94	70-130
Toluene-d8	99	70-130
4-Bromofluorobenzene	100	70-130

AIR TOXICS LTD.

SAMPLE NAME: POLY AEN-012

ID#: 9509168A-04A

EPA METHOD TO-14 GC/MS Full Scan

File Name:	9091922	Date of Collection:	9/19/95
Dil. Factor:	3000	Date of Analysis:	9/20/95
Analyst's Initials:	FA		

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	1500	1900 <i>st</i>
1,1-Dichloroethene	1500	Not Detected
Freon 113	1500	Not Detected
cis-1,2-Dichloroethene	1500	22000
Chloroform	1500	2600
1,1,1-Trichloroethane	1500	Not Detected
Benzene	1500	3600
Trichloroethene	1500	730000 E <i>st</i>
Toluene	1500	Not Detected
Tetrachloroethene	1500	Not Detected
m,p-Xylene	1500	4000
o-Xylene	1500	4200
Acetone	6000	Not Detected

E = Exceeds instrument calibration range, but within linear range.

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	93	70-130
Toluene-d8	99	70-130
4-Bromofluorobenzene	100	70-130

AIR TOXICS LTD.

SAMPLE NAME: Method Spike

ID#: 9509168A-05A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9091902
Dil. Factor: 1.0
Analyst's Initials: BJM

Date of Collection: NA
Date of Analysis: 9/19/95

Compound	Det. Limit (ppbv)	% Recovery
Vinyl Chloride	0.50	142 Q
1,1-Dichloroethene	0.50	110
Freon 113	0.50	100
cis-1,2-Dichloroethene	0.50	97
Chloroform	0.50	98
1,1,1-Trichloroethane	0.50	91
Benzene	0.50	109
Trichloroethene	0.50	94
Toluene	0.50	105
Tetrachloroethene	0.50	89
m,p-Xylene	0.50	95
o-Xylene	0.50	99
Acetone	2.0	92

Q = Exceeds Quality Control limits of 70% to 130%.

Container Type: NA

Surrogates	% Recovery	Method Limits
Octafluorotoluene	102	70-130
Toluene-d8	104	70-130
4-Bromofluorobenzene	98	70-130

AIR TOXICS LTD.

SAMPLE NAME: Lab Blank

ID#: 9509168A-06A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9091904 Date of Collection: NA
Dil. Factor: 1.0 Date of Analysis: 9/19/95
Analyst's Initials: LTS

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	0.50	Not Detected
1,1-Dichloroethene	0.50	Not Detected
Freon 113	0.50	Not Detected
cis-1,2-Dichloroethene	0.50	Not Detected
Chloroform	0.50	Not Detected
1,1,1-Trichloroethane	0.50	Not Detected
Benzene	0.50	Not Detected
Trichloroethene	0.50	Not Detected
Toluene	0.50	Not Detected
Tetrachloroethene	0.50	Not Detected
m,p-Xylene	0.50	Not Detected
o-Xylene	0.50	Not Detected
Acetone	2.0	Not Detected

Container Type: NA

Surrogates	% Recovery	Method Limits
Octafluorotoluene	94	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	99	70-130

AIR TOXICS LTD.

SAMPLE NAME: Lab Blank

ID#: 9509168A-06B

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9091920

Date of Collection: NA

Dil. Factor: 1.0

Date of Analysis: 9/20/95

Analyst's Initials: FA

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	0.50	Not Detected
1,1-Dichloroethene	0.50	Not Detected
Freon 113	0.50	Not Detected
cis-1,2-Dichloroethene	0.50	Not Detected
Chloroform	0.50	Not Detected
1,1,1-Trichloroethane	0.50	Not Detected
Benzene	0.50	Not Detected
Trichloroethene	0.50	Not Detected
Toluene	0.50	Not Detected
Tetrachloroethene	0.50	Not Detected
m,p-Xylene	0.50	Not Detected
o-Xylene	0.50	Not Detected
Acetone	2.0	Not Detected

Container Type: NA

<u>Surrogates</u>	<u>% Recovery</u>	<u>Method Limits</u>
Octafluorotoluene	95	70-130
Toluene-d8	99	70-130
4-Bromofluorobenzene	89	70-130

CHAIN OF CUSTODY RECORD

USE A BALLPOINT PEN AND PRESS FIRMLY
THE INSTRUCTIONS FOR FILLING OUT
THIS FORM ARE ON THE BACK

RADIAN CORPORATION
10389 ROCKINGHAM ROAD, SACRAMENTO, CA 95827
(916) 362-5332

9509168 A
1013

TASK OR SUB TASK (one per form):												
LABORATORY NAME & ADDRESS:												
AIR TRUCKS LTD												
180 BLUE RAVINE SUMMIT												
FOLSOM, CA. 95630												
CONTRACT NAME: 102025												
CHARGE NUMBER: 602-125-80-10												
SAMPLE NUMBER	COLLECTION		SAMPLERS INITIALS	NUMBER OF UNITS	UNIT QUANTITY	PRESERVATIVE	MATRIX CODE	TYPE OF ANALYSIS	DISPOSAL DATE	DISPOSAL INITIALS		
	DATE	TIME										
01A	4/15/85	1610	JWL	1	1L	-	V	TO-14 + (P)	6/24/85			
02A	4/15/85	1615	JWL	1	1L	-	V	TO-14 + (P)	7.5" 4g			
								(P) - PREFRACTION- ATUR				
								ONLY ANALYZE IF VINYL CHLORIDE IS NOT DETECTED				
								USING TO-14				
RELEASED BY										DATE	TIME	COMMENTS:
RECEIVED BY										DATE	TIME	
RELINQUISHED BY										DATE	TIME	
CHAIN-OF-CUSTODY RETURNED BY										DATE	TIME	
DISPOSAL CONFIRMED BY										DATE	TIME	

WHITE - COORDINATOR / GOLDENROD - PROJECT DIRECTOR / PINK - SAMPLE CONTROL / YELLOW - LABORATORY / BLUE - LABORATORY RECEIPT
Custody Seal intact? ☒ None Temp. ☒ Ambient

CHAIN OF CUSTODY RECORD

USE A BALLPOINT PEN AND PRESS FIRMLY
THE INSTRUCTIONS FOR FILLING OUT
THIS FORM ARE ON THE BACK

RADIAN
CORPORATION

10389 ROCKINGHAM ROAD, SACRAMENTO, CA 95827
(916) 362-5332

9509168 -A

1014

TASK OR SUB TASK (one per form):				LABORATORY NAME & ADDRESS:						
MCALIB POLYMER TS				AIR TOXICS LTD						
CONTRACT NAME: DC 8025				180 BLUE HAVING RD SUITE B						
CHARGE NUMBER: 602-125-80-10				FOLSOM CA 95630						
SAMPLE NUMBER	COLLECTION		INITIALS	NUMBER OF UNITS	UNIT QUANTITY	MATRIX CODE	PRESERVATIVE	TYPE OF ANALYSIS	DISPOSAL DATE	DISPOSAL INITIALS
	DATE	TIME								
03A BAIN-011	04/19/95	915	CK	1	1 L	V	✓	TD-14 + (P)	30" Hg	
04A AEN-012	04/19/95	920	CK	1	1 L	V	✓	TD-14 + (P)	30" Hg	
								(P) = PRE FRACTIONATOR		
								ANALYZE ONLY		
								IF VINYL CHLORIDE		
								IS ND USING		
								TD-14		

RELEASED BY		DATE	TIME	COMMENTS:		
[Signature]		7/15/95	1:20			
RECEIVED BY		DATE	TIME	RELINQUISHED BY	DATE	TIME
[Signature]		9/19/95	13:22	G. B. [Signature]	9/19/95	14:10
[Signature]		9/19/95	14:10		11	:
		11	:		11	:
		11	:		11	:
[Signature]		9/19/95	14:10		11	:
[Signature]		11	:		11	:

DEPOSIT CONFIRMED BY		DATE	TIME	CHAIN-OF-CUSTODY RETURNED BY		DATE	TIME
[Signature]		11	:		11	:	:

WHITE - COORDINATOR / GOLDENROD - PROJECT DIRECTOR / PINK - SAMPLE CONTROL / YELLOW - LABORATORY / BLUE - LABORATORY RECEIPT

Custody Seal Intact? Y N None

Temp

Attest

Condition when received

90°

@ AIR TOXICS LTD.

AN ENVIRONMENTAL ANALYTICAL LABORATORY

WORK ORDER #: 9509168B

Work Order Summary

CLIENT: Ms. Carol Kontonickas
Radian Corporation
10389 Old Placerville Road
Sacramento, CA 95827

BILL TO: Subcontracts Payable
Radian Corporation
P.O. Box 201088
Austin, TX 78720-1088

PHONE: 916-857-7448

FAX: 916-362-2318

DATE RECEIVED: 9/19/95

DATE COMPLETED: 9/29/95

INVOICE # 8119

SUBCONTRACT # S00256066

PROJECT # 602-125-80-10 McClellan Polymer

AMOUNT\$: \$50.00

FRACTION #	NAME	TEST	RECEIPT	
			VAC./PRES.	PRICE
01A	POLY AIN-090*	Mod. Method 18	6.0 "Hg	NC
02A	POLY AEN-010	Mod. Method 18	7.5 "Hg	\$50.00
03A	POLY AIN-011*	Mod. Method 18	3.0 "Hg	NC
04A	POLY AEN-012*	Mod. Method 18	3.0 "Hg	NC
05A	Method Spike	Mod. Method 18	NA	NC
06A	Lab Blank	Mod. Method 18	NA	NC

10/11/95
S. Fuenar
negual

LAB NARRATIVE:

*Sample on hold per client's request.

CERTIFIED BY:

Sandra L. Fuenar

Laboratory Director

DATE: 9/29/95

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630
(916) 985-1000 • (800) 985-5955 • FAX (916) 985-1020

AIR TOXICS LTD.

Vinyl Chloride by Modified EPA Method 18 Pre-Fractionator GC/PID

Field Sample I.D.	Lab Sample I.D.	File Name	Sample Date	Analyzed For	Dilution Factor	Det. Limit (ppbv)	Amount (ppbv)
POLY AIN-090*	9509168B-01A	NA	9/18/95	Vinyl Chloride	1.0	50	Not Analyzed
POLY AEN-010	9509168B-02A	A092010	9/18/95	Vinyl Chloride	2.7	140	3000
POLY AIN-011*	9509168B-03A	NA	9/19/95	Vinyl Chloride	1.0	50	Not Analyzed
POLY AEN-012*	9509168B-04A	NA	9/19/95	Vinyl Chloride	1.0	50	Not Analyzed
Lab Blank	9509168B-06A	A092006	NA	Vinyl Chloride	1.0	50	Not Detected
Spiked Sample							% Recovery
Method Spike	9509168B-05A	A092005	NA	Vinyl Chloride	1.0	50	100

Analysis Date: 9/20/95

Container Type: 1 Liter Summa Canister

Analyst's Initials: JS & SPM

Comments: NA = Not Applicable

*Sample on hold per client's request.

Temp. Ambient: 50.1

RADIAN CORPORATION

**USE A BALLPOINT PEN AND PRESS FIRMLY
THE INSTRUCTIONS FOR FILLING OUT
THIS FORM ARE ON THE BACK**

10389 ROCKINGHAM ROAD, SACRAMENTO, CA 95827
(916) 362-5332

95091685

101.4

TASK OR SUB TASK (one per form):				LABORATORY NAME & ADDRESS:						
MILAR POLYMER TS				AIR TOXICS LTD						
CONTRACT NAME: DO 8025				180 BLUE RAVINE RD SUMMIT						
CHARGE NUMBER: 002-125-80010				FURNACE, CA 94630						
SAMPLE NUMBER	COLLECTION		SAMPLERS INITIALS	NUMBER OF UNITS	UNIT QUANTITY	MATRIX CODE	PRESERVATIVE	TYPE OF ANALYSIS	DISPOSAL DATE	DISPOSALER'S INITIALS
	DATE	TIME								
AIN-011	04/14/95	915	SK	1	1 L	V	✓	TD-14 + (1)		
AIN-012	04/14/95	920	SK	1	1 L	V	✓	TD-14 + (1)		
								(1) = REFRACTORY		
								ANALYZE ONLY		
								IF VINYL CHLORIDE		
								IS ND USING		
								TD-14		
RELEASED BY			DATE	TIME	COMMENTS:					
			1/1/95	1:20						
RECEIVED BY			DATE	TIME	RELINQUISHED BY		DATE	TIME		
J. J. J. J. J. J.			9/19/95	13:22	B. B. B. B. B.		9/19/95	14:10		
B. B. B. B. B.			9/14/95	14:10						
			1/1	:			1/1	:		
			1/1	:			1/1	:		
			9/19/95	14:10			1/1	:		
DISPOSAL CONFIRMED BY			DATE	TIME	CHAIN-OF-CUSTODY RETURNED BY		DATE	TIME		
J. J. J. J. J. J.			1/1	:			1/1	:		

WHITE - COORDINATOR / GOLDENBOD - PROJECT DIRECTOR / PINK - SAMPLE CONTROL / YELLOW - LABORATORY / BLUE - LABORATORY RECEIPT

@ AIR TOXICS LTD.

AN ENVIRONMENTAL ANALYTICAL LABORATORY

WORK ORDER #: 9509180A

Work Order Summary

CLIENT: Ms. Carol Kontonickas
Radian Corporation
10389 Old Placerville Road
Sacramento, CA 95827

BILL TO: Subcontracts Payable
Radian Corporation
P.O. Box 201088
Austin, TX 78720-1088

PHONE: 916-857-7448
FAX: 916-362-2318
DATE RECEIVED: 9/20/95
DATE COMPLETED: 9/29/95

INVOICE # 8120
P.O. # S00256066
PROJECT # 602-125-80-10 McClellan Polymer
AMOUNT\$: \$410.00

FRACTION

01A
02A
03A
04A

NAME

Poly-AIN-013
Poly-AEN-014
Method Spike
Lab Blank

TEST

TO-14
TO-14
TO-14
TO-14

RECEIPT

VAC./PRES.

PRICE

2.5 "Hg \$205.00
2.5 "Hg \$205.00
NA NC
NA NC

10/12/95
Z
yes que

CERTIFIED BY:

J. A. S. Fuman
Laboratory Director

DATE: 9/29/95

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630
(916) 985-1000 • (800) 985-5955 • FAX (916) 985-1020

AIR TOXICS LTD.

SAMPLE NAME: Poly-AIN-013
ID#: 9509180A-01A
EPA METHOD TO-14 GC/MS Full Scan

File Name: 1092107 Date of Collection: 9/20/95
Dil. Factor: 4400 Date of Analysis: 9/21/95
Analyst's Initials: EV

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	2200	Not Detected
1,1-Dichloroethene	2200	Not Detected
Freon 113	2200	Not Detected
cis-1,2-Dichloroethene	2200	16000
Chloroform	2200	Not Detected
1,1,1-Trichloroethane	2200	Not Detected
Benzene	2200	2500
Trichloroethene	2200	520000
Toluene	2200	Not Detected
Tetrachloroethene	2200	Not Detected
m,p-Xylene	2200	6200
o-Xylene	2200	4000 <i>st</i>
Acetone	8800	Not Detected

Container Type: 1 Liter Summa Canister

<u>Surrogates</u>	<u>% Recovery</u>	<u>Method Limits</u>
Octafluorotoluene	106	70-130
Toluene-d8	84	70-130
4-Bromofluorobenzene	100	70-130

AIR TOXICS LTD.

SAMPLE NAME: Poly-AEN-014

ID#: 9509180A-02A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 1092114 Date of Collection: 9/20/95
Dil. Factor: 4400 Date of Analysis: 9/22/95
Analyst's Initials: SPM

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	2200	Not Detected
1,1-Dichloroethene	2200	Not Detected
Freon 113	2200	Not Detected
cis-1,2-Dichloroethene	2200	17000
Chloroform	2200	Not Detected
1,1,1-Trichloroethane	2200	Not Detected
Benzene	2200	2700
Trichloroethene	2200	590000
Toluene	2200	Not Detected
Tetrachloroethene	2200	Not Detected
m,p-Xylene	2200	4100
o-Xylene	2200	2300 JT
Acetone	8800	Not Detected

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	115	70-130
Toluene-d8	86	70-130
4-Bromofluorobenzene	103	70-130

AIR TOXICS LTD.

SAMPLE NAME: Method Spike

ID#: 9509180A-03A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 1092104

Date of Collection: NA

Dil. Factor: 1.0

Date of Analysis: 9/21/95

Analyst's Initials: EV

Compound	Det. Limit (ppbv)	% Recovery
Vinyl Chloride	0.50	71
1,1-Dichloroethene	0.50	77
Freon 113	0.50	91
cis-1,2-Dichloroethene	0.50	77
Chloroform	0.50	87
1,1,1-Trichloroethane	0.50	76
Benzene	0.50	73
Trichloroethene	0.50	85
Toluene	0.50	73
Tetrachloroethene	0.50	95
m,p-Xylene	0.50	78
o-Xylene	0.50	61 Q
Acetone	2.0	134

Q = Exceeds Quality Control limits.

Container Type: NA

Surrogates	% Recovery	Method Limits
Octafluorotoluene	109	70-130
Toluene-d8	85	70-130
4-Bromofluorobenzene	97	70-130

AIR TOXICS LTD.

SAMPLE NAME: Lab Blank

ID#: 9509180A-04A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 1092106 Date of Collection: NA
Dil. Factor: 1.0 Date of Analysis: 9/21/95
Analyst's Initials: EV

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	0.50	Not Detected
1,1-Dichloroethene	0.50	Not Detected
Freon 113	0.50	Not Detected
cis-1,2-Dichloroethene	0.50	Not Detected
Chloroform	0.50	Not Detected
1,1,1-Trichloroethane	0.50	Not Detected
Benzene	0.50	Not Detected
Trichloroethene	0.50	Not Detected
Toluene	0.50	Not Detected
Tetrachloroethene	0.50	Not Detected
m,p-Xylene	0.50	Not Detected
o-Xylene	0.50	Not Detected
Acetone	2.0	Not Detected

Container Type: NA

Surrogates	% Recovery	Method Limits
Octafluorotoluene	114	70-130
Toluene-d8	85	70-130
4-Bromofluorobenzene	92	70-130

@ AIR TOXICS LTD.

AN ENVIRONMENTAL ANALYTICAL LABORATORY

WORK ORDER #: 9509180B

Work Order Summary

CLIENT: Ms. Carol Kontonickas
Radian Corporation
10389 Old Placerville Road
Sacramento, CA 95827

BILL TO: Subcontracts Payable
Radian Corporation
P.O. Box 201088
Austin, TX 78720-1088

PHONE: 916-857-7448
FAX: 916-362-2318
DATE RECEIVED: 9/20/95
DATE COMPLETED: 9/29/95

INVOICE # 8120
P.O. # S00256066
PROJECT # 602-125-80-10 McClellan Polymer
AMOUNT\$: No Charge

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT</u> <u>VAC./PRES.</u>	<u>PRICE</u>
01A	Poly-AIN-013	Mod. Method 18	2.5 "Hg	NC
01B	Poly-AIN-013 Duplicate	Mod. Method 18	2.5 "Hg	NC
02A	Poly-AEN-014	Mod. Method 18	2.5 "Hg	NC
03A	Method Spike	Mod. Method 18	NA	NC
04A	Lab Blank	Mod. Method 18	NA	NC
04B	Lab Blank	Mod. Method 18	NA	NC

10/12/95
S
no qual.

CERTIFIED BY: J. Linda H. Fuema
Laboratory Director

DATE: 9/29/95

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630
(916) 985-1000 • (800) 985-5955 • FAX (916) 985-1020

AIR TOXICS LTD.

Vinyl Chloride by Modified EPA Method 18 Pre-Fractionator GC/PID

Field Sample I.D.	Lab Sample I.D.	File Name	Sample Date	Analyzed For	Dilution Factor	Det. Limit (ppbv)	Amount (ppbv)	RPD
Poly-AIN-013	9509180B-01A	A092104	9/20/95	Vinyl Chloride	2.2	110	2200	0
Poly-AIN-013 Duplicate	9509180B-01B	A092105	9/20/95	Vinyl Chloride	2.2	110	2200	0
Poly-AEN-014	9509180B-02A	A092204	9/20/95	Vinyl Chloride	4.4	220	2600	NA
Lab Blank	9509180B-04A	A092103	NA	Vinyl Chloride	1.0	50	Not Detected	NA
Lab Blank	9509180B-04B	A092203	NA	Vinyl Chloride	1.0	50	Not Detected	NA
Spiked Samples							% Recovery	
Method Spike	9509180B-03A	A092102	NA	Vinyl Chloride	1.0	50	92	NA

Analysis Date: 9/21/95 & 9/22/95

Container Type: 1 Liter Summa Canister

Analyst's Initials: SPM

Comments: NA = Not Applicable

WHITE COORDINATOR / GOLDENROD - PROJECT DIRECTOR / PINK - SAMPLE CONTROL / YELLOW - LABORATORY / BLUE - LABORATORY RECEIPT

@ AIR TOXICS LTD.

AN ENVIRONMENTAL ANALYTICAL LABORATORY

WORK ORDER #: 9509209A

Work Order Summary

CLIENT: Ms. Carol Kontonickas
Radian Corporation
10389 Old Placerville Road
Sacramento, CA 95827

BILL TO: Subcontracts Payable
Radian Corporation
P.O. Box 201088
Austin, TX 78720-1088

PHONE: 916-857-7448
FAX: 916-362-2318
DATE RECEIVED: 9/22/95
DATE COMPLETED: 9/29/95

INVOICE # 8122
SUBCONTRACT # S00256066
PROJECT # 602-125-80-10 McClellan Polymer
AMOUNT\$: \$410.00

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT</u> <u>VAC./PRES.</u>	<u>PRICE</u>
01A	POLY-BIN-016	TO-14	2.0 "Hg	\$205.00
02A	POLY-BEN-017	TO-14	2.0 "Hg	\$205.00
03A	Method Spike	TO-14	NA	NC
04A	Lab Blank	TO-14	NA	NC

10/12/95
No paid

CERTIFIED BY:

Jinda S. Hummer
Laboratory Director

DATE:

9/29/95

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630
(916) 985-1000 • (800) 985-5955 • FAX (916) 985-1020

AIR TOXICS LTD.

SAMPLE NAME: POLY-BIN-016

ID#: 9509209A-01A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9092521
Dil. Factor: 1400
Analyst's Initials: EV

Date of Collection: 9/22/95
Date of Analysis: 9/25/95

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	700	Not Detected
1,1-Dichloroethene	700	Not Detected
Freon 113	700	Not Detected
cis-1,2-Dichloroethene	700	12000
Chloroform	700	1000
1,1,1-Trichloroethane	700	Not Detected
Benzene	700	2000
Trichloroethene	700	390000 E
Toluene	700	Not Detected
Tetrachloroethene	700	Not Detected
m,p-Xylene	700	3900
o-Xylene	700	3300
Acetone	2800	Not Detected

E = Exceeds instrument calibration range, but within linear range.

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	99	70-130
Toluene-d8	97	70-130
4-Bromofluorobenzene	98	70-130

AIR TOXICS LTD.

SAMPLE NAME: POLY-BEN-017

ID#: 9509209A-02A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9092523 Date of Collection: 9/22/95
Dil. Factor: 8.6 Date of Analysis: 9/25/95
Analyst's Initials: BJM

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	4.3	640
1,1-Dichloroethene	4.3	19
Freon 113	4.3	51
cis-1,2-Dichloroethene	4.3	13
Chloroform	4.3	Not Detected
1,1,1-Trichloroethane	4.3	15
Benzene	4.3	Not Detected
Trichloroethene	4.3	560
Toluene	4.3	Not Detected
Tetrachloroethene	4.3	Not Detected
m,p-Xylene	4.3	4.4
o-Xylene	4.3	Not Detected
Acetone	17	Not Detected

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	98	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	99	70-130

AIR TOXICS LTD.

SAMPLE NAME: Method Spike

ID#: 9509209A-03A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9092518

Date of Collection: NA

Dil. Factor: 1.0

Date of Analysis: 9/25/95

Analyst's Initials: EV

Compound	Det. Limit (ppbv)	% Recovery
Vinyl Chloride	0.50	119
1,1-Dichloroethene	0.50	106
Freon 113	0.50	104
cis-1,2-Dichloroethene	0.50	101
Chloroform	0.50	100
1,1,1-Trichloroethane	0.50	100
Benzene	0.50	109
Trichloroethene	0.50	99
Toluene	0.50	100
Tetrachloroethene	0.50	94
m,p-Xylene	0.50	108
o-Xylene	0.50	109
Acetone	2.0	108

Container Type: NA

Surrogates	% Recovery	Method Limits
Octafluorotoluene	99	70-130
Toluene-d8	104	70-130
4-Bromofluorobenzene	100	70-130

AIR TOXICS LTD.

SAMPLE NAME: Lab Blank

ID#: 9509209A-04A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9092520 Date of Collection: NA
Dil. Factor: 1.0 Date of Analysis: 9/25/95
Analyst's Initials: EV

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	0.50	Not Detected
1,1-Dichloroethene	0.50	Not Detected
Freon 113	0.50	Not Detected
cis-1,2-Dichloroethene	0.50	Not Detected
Chloroform	0.50	Not Detected
1,1,1-Trichloroethane	0.50	Not Detected
Benzene	0.50	Not Detected
Trichloroethene	0.50	Not Detected
Toluene	0.50	Not Detected
Tetrachloroethene	0.50	Not Detected
m,p-Xylene	0.50	Not Detected
o-Xylene	0.50	Not Detected
Acetone	2.0	Not Detected

Container Type: NA

Surrogates	% Recovery	Method Limits
Octafluorotoluene	98	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	95	70-130

9509209

@ AIR TOXICS LTD.

AN ENVIRONMENTAL ANALYTICAL LABORATORY

WORK ORDER #: 9509209B

Work Order Summary

CLIENT: Ms. Carol Kontonickas
Radian Corporation
10389 Old Placerville Road
Sacramento, CA 95827

BILL TO: Subcontracts Payable
Radian Corporation
P.O. Box 201088
Austin, TX 78720-1088

PHONE: 916-857-7448

INVOICE # 8122

FAX: 916-362-2318

SUBCONTRACT # S00256066

DATE RECEIVED: 9/22/95

PROJECT # 602-125-80-10 McClellan Polymer

DATE COMPLETED: 9/29/95

AMOUNT\$: \$50.00

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT</u> <u>VAC./PRES.</u>	<u>PRICE</u>
01A	POLY-BIN-016	Mod. Method 18	2.0 "Hg	\$50.00
02A	Method Spike	Mod. Method 18	NA	NC
03A	Lab Blank	Mod. Method 18	NA	NC

10/12/95
No question

CERTIFIED BY:

Shirley J. Fumare

Laboratory Director

DATE:

9/29/95

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630
(916) 985-1000 • (800) 985-5955 • FAX (916) 985-1020

AIR TOXICS LTD.

Vinyl Chloride by Modified EPA Method 18 Pre-Fractionator GC/PID

Field	Lab	File	Sample	Analyzed	Dilution	Det. Limit	Amount
Sample I.D.	Sample I.D.	Name	Date	For	Factor	(ppbv)	(ppbv)
POLY-BIN-016	9509209B-01A	A092604	9/22/95	Vinyl Chloride	2.2	110	1600
Lab Blank	9509209B-03A	A092603	NA	Vinyl Chloride	1.0	50	Not Detected
Spiked Sample							% Recovery
Method Spike	9509209B-02A	A092601	NA	Vinyl Chloride	1.0	50	103

Analysis Date: 9/26/95

Container Type: 1 Liter Summa Canister

Analyst's Initials: JS

Comments: NA = Not Applicable

CHAIN OF CUSTODY RECORD

USE A BALLPOINT PEN AND PRESS FIRMLY
THE INSTRUCTIONS FOR FILLING OUT
THIS FORM ARE ON THE BACK

RADIAN
CORPORATION
10389 ROCKINGHAM ROAD, SACRAMENTO, CA 95827
(916) 362-5332

9509209B-
1016

TASK OR SUB TASK (one per form):				LABORATORY NAME & ADDRESS:							
MILAFB POLYMER 15				AIR TOXICS LTD							
CONTRACT NAME: 10025				180 BLUE RAVINE SUITE B							
CHARGE NUMBER: 602-125-80-10				FOLSOM, CA 95630							
SAMPLE NUMBER	COLLECTION		INITIALS	NUMBER OF UNITS	UNIT QUANTITY	MATRIX CODE	PRESERVATIVE	TYPE OF ANALYSIS	QC	DISPOSAL DATE	DISPOSAL INITIALS
	DATE	TIME									
1001-1311-016	01/27/83	1000	SAF	1	1L	V	✓	10-14 + (P)		20/83	
1001-1311-017	01/27/83	1005	SAF	1	1L	V	✓	10-14 + (P)		20/83	
								(P) REFRACTOMETER			
								ONLY ANALYZE			
								W (P) IF			
								VINYL CHLORIDE			
								IS NO USING			
								TD-14			
RELEASED BY				DATE	TIME	COMMENTS: Custody Seal intact? Y-N (None)				Temp. Ambient	
1001-1311-016				01/27/83	1000	Condition when received good - Priority				20	
RECEIVED BY				DATE	TIME	RELINQUISHED BY				DATE	
1001-1311-016				01/27/83	1005	SAF				01/27/83 13:30	
				11	:					11 :	
				11	:					11 :	
				11	:					11 :	
1001-1311-016				01/27/83	13:30					11 :	
DISPOSAL CONFIRMED BY				DATE	TIME	CHAIN-OF-CUSTODY RETURNED BY				DATE	
1001-1311-016				01/27/83	13:30					11 :	

1A
2A

@ AIR TOXICS LTD.

AN ENVIRONMENTAL ANALYTICAL LABORATORY

WORK ORDER #: 9509234A

Work Order Summary

CLIENT: Ms. Carol Kontonickas
Radian Corporation
10389 Old Placerville Road
Sacramento, CA 95827

BILL TO: Subcontracts Payable
Radian Corporation
P.O. Box 201088
Austin, TX 78720-1088

PHONE: 916-857-7448
FAX: 916-362-2318
DATE RECEIVED: 9/25/95
DATE COMPLETED: 9/29/95

INVOICE # 8124
SUBCONTRACT # S00256066
PROJECT # 602-125-80-10 McClellan Polymer
AMOUNT\$: \$410.00

FRACTION

01A
02A
03A
04A

NAME

POLY-BIN-018
POLY-BEN-019
Method Spike
Lab Blank

TEST

TO-14
TO-14
TO-14
TO-14

RECEIPT

VAC./PRES.

1.5 "Hg
1.5 "Hg
NA
NA

PRICE

\$205.00
\$205.00
NC
NC

CERTIFIED BY:

Carola L. Thuma
Laboratory Director

DATE:

9/29/95

10/12/95
yes good.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630
(916) 985-1000 • (800) 985-5955 • FAX (916) 985-1020

AIR TOXICS LTD.

SAMPLE NAME: POLY-BIN-018

ID#: 9509234A-01A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9092622

Date of Collection: 9/25/95

Dil. Factor: 2100

Date of Analysis: 9/26/95

Analyst's Initials: EV

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	1100	1200
1,1-Dichloroethene	1100	Not Detected
Freon 113	1100	Not Detected
cis-1,2-Dichloroethene	1100	11000
Chloroform	1100	Not Detected
1,1,1-Trichloroethane	1100	Not Detected
Benzene	1100	1500
Trichloroethene	1100	380000 E
Toluene	1100	Not Detected
Tetrachloroethene	1100	Not Detected
m,p-Xylene	1100	4000
o-Xylene	1100	3200
Acetone	4200	Not Detected

E = Exceeds instrument calibration range, but within linear range.

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	98	70-130
Toluene-d8	102	70-130
4-Bromofluorobenzene	101	70-130

AIR TOXICS LTD.

SAMPLE NAME: POLY-BEN-019

ID#: 9509234A-02A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9092623 Date of Collection: 9/25/95
Dil. Factor: 1400 Date of Analysis: 9/26/95
Analyst's Initials: LTS

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	700	1400
1,1-Dichloroethene	700	Not Detected
Freon 113	700	Not Detected
cis-1,2-Dichloroethene	700	10000
Chloroform	700	750
1,1,1-Trichloroethane	700	Not Detected
Benzene	700	Not Detected
Trichloroethene	700	150000
Toluene	700	Not Detected
Tetrachloroethene	700	Not Detected
m,p-Xylene	700	Not Detected
o-Xylene	700	Not Detected
Acetone	2800	Not Detected

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	98	70-130
Toluene-d8	102	70-130
4-Bromofluorobenzene	100	70-130

AIR TOXICS LTD.

SAMPLE NAME: Method Spike

ID#: 9509234A-03A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9092619

Date of Collection: NA

Dil. Factor: 1.0

Date of Analysis: 9/26/95

Analyst's Initials: EV

Compound	Det. Limit (ppbv)	% Recovery
Vinyl Chloride	0.50	129
1,1-Dichloroethene	0.50	104
Freon 113	0.50	102
cis-1,2-Dichloroethene	0.50	96
Chloroform	0.50	94
1,1,1-Trichloroethane	0.50	91
Benzene	0.50	106
Trichloroethene	0.50	91
Toluene	0.50	93
Tetrachloroethene	0.50	88
m,p-Xylene	0.50	106
o-Xylene	0.50	98
Acetone	2.0	100

Container Type: NA

<u>Surrogates</u>	<u>% Recovery</u>	<u>Method Limits</u>
Octafluorotoluene	98	70-130
Toluene-d8	99	70-130
4-Bromofluorobenzene	99	70-130

AIR TOXICS LTD.

SAMPLE NAME: Lab Blank

ID#: 9509234A-04A

EPA METHOD TO-14 GC/MS Full Scan

File Name:	9092621	Date of Collection:	NA
Dil. Factor:	1.0	Date of Analysis:	9/26/95
Analyst's Initials:	EV		

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	0.50	Not Detected
1,1-Dichloroethene	0.50	Not Detected
Freon 113	0.50	Not Detected
cis-1,2-Dichloroethene	0.50	Not Detected
Chloroform	0.50	Not Detected
1,1,1-Trichloroethane	0.50	Not Detected
Benzene	0.50	Not Detected
Trichloroethene	0.50	Not Detected
Toluene	0.50	Not Detected
Tetrachloroethene	0.50	Not Detected
m,p-Xylene	0.50	Not Detected
o-Xylene	0.50	Not Detected
Acetone	2.0	Not Detected

Container Type: NA

Surrogates	% Recovery	Method Limits
Octafluorotoluene	98	70-130
Toluene-d8	101	70-130
4-Bromofluorobenzene	99	70-130

RADIAN CORPORATION

**USE A BALLPOINT PEN AND PRESS FIRMLY
THE INSTRUCTIONS FOR FILLING OUT
THIS FORM ARE ON THE BACK**

**10395 OLD PLACERVILLE ROAD, SACRAMENTO, CA 95827
(916) 362-5332**

9509234

0
10
00
10

[illegible]

WHITE - COORDINATOR / GOLDENROD - PROJECT DIRECTOR / PINK - SAMPLE CONTROL / YELLOW - LABORATORY / BLUE - LABORATORY RECEIPT

Condition when received good

Custody Seal intact? Y N None Temp.



AN ENVIRONMENTAL ANALYTICAL LABORATORY

WORK ORDER #: 9509272A

Work Order Summary

CLIENT: Ms. Carol Kontonickas
Radian Corporation
10389 Old Placerville Road
Sacramento, CA 95827

BILL TO: Subcontracts Payable
Radian Corporation
P.O. Box 201088
Austin, TX 78720-1088

PHONE: 916-857-7448
FAX: 916-362-2318
DATE RECEIVED: 9/27/95
DATE COMPLETED: 10/6/95

INVOICE # 8188
SUBCONTRACT # S00256066
PROJECT # 602-125-80-10 McClellan Polymer
AMOUNT\$: \$410.00

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT</u> <u>VAC./PRES.</u>	<u>PRICE</u>
01A	POLY-BIN-020	TO-14	2.0 "Hg	\$205.00
02A	POLY-BEN-021	TO-14	2.5 "Hg	\$205.00
03A	Method Spike	TO-14	NA	NC
04A	Lab Blank	TO-14	NA	NC

10/12/95
yes good

CERTIFIED BY:

J. J. Fuman
Laboratory Director

DATE:

10/6/95

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630
(916) 985-1000 • (800) 985-5955 • FAX (916) 985-1020

AIR TOXICS LTD.

SAMPLE NAME: POLY-BIN-020

ID#: 9509272A-01A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9092724

Date of Collection: 9/27/95

Dil. Factor: 1400

Date of Analysis: 9/28/95

Analyst's Initials: LTS

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	700	980 <i>5+</i>
1,1-Dichloroethene	700	Not Detected
Freon 113	700	Not Detected
cis-1,2-Dichloroethene	700	7000
Chloroform	700	Not Detected
1,1,1-Trichloroethane	700	Not Detected
Benzene	700	980
Trichloroethene	700	220000
Toluene	700	750
Tetrachloroethene	700	Not Detected
m,p-Xylene	700	2000
o-Xylene	700	1600
Acetone	2800	Not Detected

Container Type: 1 Liter Summa Canister

<u>Surrogates</u>	<u>% Recovery</u>	<u>Method Limits</u>
Octafluorotoluene	97	70-130
Toluene-d8	102	70-130
4-Bromofluorobenzene	97	70-130

AIR TOXICS LTD.

SAMPLE NAME: POLY-BEN-021

ID#: 9509272A-02A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9092725 Date of Collection: 9/27/95
Dil. Factor: 2800 Date of Analysis: 9/28/95
Analyst's Initials: LTS

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	1400	Not Detected
1,1-Dichloroethene	1400	Not Detected
Freon 113	1400	Not Detected
cis-1,2-Dichloroethene	1400	15000
Chloroform	1400	1500
1,1,1-Trichloroethane	1400	Not Detected
Benzene	1400	1900
Trichloroethene	1400	500000 E
Toluene	1400	Not Detected
Tetrachloroethene	1400	Not Detected
m,p-Xylene	1400	Not Detected
o-Xylene	1400	Not Detected
Acetone	5600	Not Detected

E = Exceeds instrument calibration range, but within linear range.

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	97	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	96	70-130

AIR TOXICS LTD.

SAMPLE NAME: Method Spike

ID#: 9509272A-03A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9092718

Date of Collection: NA

Dil. Factor: 1.0

Date of Analysis: 9/27/95

Analyst's Initials: BJM

Compound	Det. Limit (ppbv)	% Recovery
Vinyl Chloride	0.50	135 Q ✓
1,1-Dichloroethene	0.50	102
Freon 113	0.50	103
cis-1,2-Dichloroethene	0.50	96
Chloroform	0.50	92
1,1,1-Trichloroethane	0.50	91
Benzene	0.50	105
Trichloroethene	0.50	89
Toluene	0.50	92
Tetrachloroethene	0.50	82
m,p-Xylene	0.50	92
o-Xylene	0.50	88
Acetone	2.0	102

Q = Exceeds Quality Control limits of 70% to 130%.

Container Type: NA

Surrogates	% Recovery	Method Limits
Octafluorotoluene	97	70-130
Toluene-d8	102	70-130
4-Bromofluorobenzene	102	70-130

AIR TOXICS LTD.

SAMPLE NAME: Lab Blank

ID#: 9509272A-04A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 9092721 Date of Collection: NA
Dil. Factor: 1.0 Date of Analysis: 9/27/95
Analyst's Initials:

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	0.50	Not Detected
1,1-Dichloroethene	0.50	Not Detected
Freon 113	0.50	Not Detected
cis-1,2-Dichloroethene	0.50	Not Detected
Chloroform	0.50	Not Detected
1,1,1-Trichloroethane	0.50	Not Detected
Benzene	0.50	Not Detected
Trichloroethene	0.50	Not Detected
Toluene	0.50	Not Detected
Tetrachloroethene	0.50	Not Detected
m,p-Xylene	0.50	Not Detected
o-Xylene	0.50	Not Detected
Acetone	2.0	Not Detected

Container Type: NA

Surrogates	% Recovery	Method Limits
Octafluorotoluene	95	70-130
Toluene-d8	102	70-130
4-Bromofluorobenzene	99	70-130

RADIAN CORPORATION

**USE A BALLPOINT PEN AND PRESS FIRMLY
THE INSTRUCTIONS FOR FILLING OUT
THIS FORM ARE ON THE BACK**

**10395 OLD PLACERVILLE ROAD, SACRAMENTO, CA 95827
(916) 362-5332**

TASK OR SUB TASK (one per form):

LABORATORY NAME & ADDRESS:

CONTRACT NAME:

10

CHARGE NUMBER:

11-11-20

[illegible]

RELEASED BY		DATE	TIME	COMMENTS:			
[Signature]		4/17/13	2:30				
RECEIVED BY		DATE	TIME	RELINQUISHED BY		DATE	TIME
[Signature]		4/17/13	1:10	[Signature]		4/11	:
[Signature]		4/17/13	:	[Signature]		9/12/98	13:40
[Signature]		1/1	:	[Signature]		1/1	:
[Signature]		1/1	:	[Signature]		1/1	:
[Signature]		9/17/13	3:40	[Signature]		1/1	:
DISPOSAL CONFIRMED BY		DATE	TIME	CHAIN-OF-CUSTODY RETURNED BY		DATE	TIME
[Signature]		1/1	:	[Signature]		1/1	:

WHITE - COORDINATOR / GOLDENROD - PROJECT DIRECTOR / PINK - SAMPLE CONTROL / YELLOW - LABORATORY / BLUE - LABORATORY RECEPT

Pope John Paul II

Client's Seal intact? Y N None

Temp.

@ AIR TOXICS LTD.

AN ENVIRONMENTAL ANALYTICAL LABORATORY

WORK ORDER #: 9509272B

Work Order Summary

CLIENT: Ms. Carol Kontonickas
Radian Corporation
10389 Old Placerville Road
Sacramento, CA 95827

BILL TO: Subcontracts Payable
Radian Corporation
P.O. Box 201088
Austin, TX 78720-1088

PHONE: 916-857-7448
FAX: 916-362-2318
DATE RECEIVED: 9/27/95
DATE COMPLETED: 10/6/95

INVOICE # 8188
SUBCONTRACT # S00256066
PROJECT # 602-125-80-10 McClellan Polymer
AMOUNT\$: \$50.00

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT</u> <u>VAC/PRES.</u>	<u>PRICE</u>
01A	POLY-BIN-020*	Mod. Method 18	2.0 "Hg	NC
02A	POLY-BEN-021	Mod. Method 18	2.5 "Hg	\$50.00
03A	Method Spike	Mod. Method 18	NA	NC
04A	Lab Blank	Mod. Method 18	NA	NC

10/12/95
Hoguen

LAB NARRATIVE:

*Sample on hold per client's request.

CERTIFIED BY:

Donald J. Furrer

Laboratory Director

DATE:

10/4/95

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630
(916) 985-1000 • (800) 985-5955 • FAX (916) 985-1020

AIR TOXICS LTD.

Vinyl Chloride by Modified EPA Method 18 Pre-Fractionator GC/PID

Field Sample I.D.	Lab Sample I.D.	File Name	Sample Date	Analyzed For	Dilution Factor	Det. Limit (ppbv)	Amount (ppbv)
POLY-BIN-020*	9509272B-01A	NA	9/27/95	Vinyl Chloride	1.0	50	Not Analyzed
POLY-BEN-021	9509272B-02A	A092818	9/27/95	Vinyl Chloride	2.2	110	1200
Lab Blank	9509272B-04A	A092812	NA	Vinyl Chloride	1.0	50	Not Detected
Spiked Sample							% Recovery
Method Spike	9509272B-03A	A092810	NA	Vinyl Chloride	1.0	50	72

Analysis Date: 9/28/95

Container Type: 1 Liter Summa Canister

Analyst's Initials: JS

Comments: NA = Not Applicable

*Sample on hold per client's request.

CHAIN OF CUSTODY RECORD

USE A BALLPOINT PEN AND PRESS FIRMLY
THE INSTRUCTIONS FOR FILLING OUT
THIS FORM ARE ON THE BACK

RADIAN
CORPORATION
10395 OLD PLACERVILLE ROAD, SACRAMENTO, CA 95827
(916) 362-5332

9509272 B
5851

TASK OR SUB TASK (one per form):				LABORATORY NAME & ADDRESS:						
LACAFB Polymer TS				AIR TOXICS LTD						
CONTRACT NAME: P8025				180 Blue Pavine, Suite B						
CHARGE NUMBER: 602-125-80-10				101cm, CA 95630						
SAMPLE NUMBER	COLLECTION		INITIALS	NUMBER OF UNITS	UNIT QUANTITY	MATRIX CODE	PRESERVATIVE	TYPE OF ANALYSIS	DISPOSAL DATE	DISPOSAL INITIALS
	DATE	TIME								
01A Poly-BIN-010	9/12/95	10:00	AT	1	1 Liter	AN	-	10-144 (P)		
02A Poly-BIN-021	9/12/95	10:05	AT	1	1 Liter	AN	-	10-144 (P)		
								(P) Polychlorinated		
								only analyze		
								w(P) 14		
								vinyl chloride		
								is ND using		
								70-14		
<p>RELEASED BY: [Signature] DATE: 9/12/95 TIME: 12:00</p> <p>RECEIVED BY: [Signature] DATE: 9/12/95 TIME: 13:40</p> <p>RELINQUISHED BY: [Signature] DATE: 9/12/95 TIME: 13:40</p> <p>DISPOSAL CONFIRMED BY: [Signature] DATE: 9/12/95 TIME: 13:40</p> <p>DISPOSAL DATE: 1/1 TIME: 1/1</p> <p>CHAIN-OF-CUSTODY RETURNED BY: [Signature] DATE: 1/1 TIME: 1/1</p>										

@ AIR TOXICS LTD.

AN ENVIRONMENTAL ANALYTICAL LABORATORY

WORK ORDER #: 9509314A

Work Order Summary

CLIENT: Ms. Carol Kontonickas
Radian Corporation
10389 Old Placerville Road
Sacramento, CA 95827

BILL TO: Subcontracts Payable
Radian Corporation
P.O. Box 201088
Austin, TX 78720-1088

PHONE: 916-857-7448
FAX: 916-362-2318
DATE RECEIVED: 9/29/95
DATE COMPLETED: 10/6/95

INVOICE # 8190
SUBCONTRACT # S00256066
PROJECT # 602-125-80-10 McClellan Polymer
AMOUNT\$: \$615.00

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>PRICE</u>
01A	Poly-BIN-022*	TO-14	1.5 "Hg	NC
02A	Poly-BEN-023*	TO-14	1.0 "Hg	NC
03A	Poly-CIN-024	TO-14	2.0 "Hg	\$205.00
03B	Poly-CIN-024 Duplicate	TO-14	2.0 "Hg	\$205.00
04A	Poly-CEN-025	TO-14	2.0 "Hg	\$205.00
05A	Method Spike	TO-14	NA	NC
06A	Lab Blank	TO-14	NA	NC

10/12/95
J
yes and

LAB NARRATIVE:

*Sample on hold per client's request.

CERTIFIED BY:

Sandra S. Fuma
Laboratory Director

DATE:

10/6/95

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630
(916) 985-1000 • (800) 985-5955 • FAX (916) 985-1020

AIR TOXICS LTD.

SAMPLE NAME: Poly-BIN-022*

ID#: 9509314A-01A

EPA METHOD TO-14 GC/MS Full Scan

File Name: NA Date of Collection: 9/29/95
Dil. Factor: 1.0 Date of Analysis: NA
Analyst's Initials: NA

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	0.50	Not Analyzed
1,1-Dichloroethene	0.50	Not Analyzed
Freon 113	0.50	Not Analyzed
cis-1,2-Dichloroethene	0.50	Not Analyzed
Chloroform	0.50	Not Analyzed
1,1,1-Trichloroethane	0.50	Not Analyzed
Benzene	0.50	Not Analyzed
Trichloroethene	0.50	Not Analyzed
Toluene	0.50	Not Analyzed
Tetrachloroethene	0.50	Not Analyzed
m,p-Xylene	0.50	Not Analyzed
o-Xylene	0.50	Not Analyzed
Acetone	2.0	Not Analyzed

*Sample on hold per client's request.

Container Type: 1 Liter Summa Canister

<u>Surrogates</u>	<u>% Recovery</u>	<u>Method Limits</u>
Octafluorotoluene	NA	70-130
Toluene-d8	NA	70-130
4-Bromofluorobenzene	NA	70-130

AIR TOXICS LTD.

SAMPLE NAME: Poly-BEN-023*

ID#: 9509314A-02A

EPA METHOD TO-14 GC/MS Full Scan

File Name:	NA	Date of Collection: 9/29/95
Dil. Factor:	1.0	Date of Analysis: NA
Analyst's Initials:	NA	

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	0.50	Not Analyzed
1,1-Dichloroethene	0.50	Not Analyzed
Freon 113	0.50	Not Analyzed
cis-1,2-Dichloroethene	0.50	Not Analyzed
Chloroform	0.50	Not Analyzed
1,1,1-Trichloroethane	0.50	Not Analyzed
Benzene	0.50	Not Analyzed
Trichloroethene	0.50	Not Analyzed
Toluene	0.50	Not Analyzed
Tetrachloroethene	0.50	Not Analyzed
m,p-Xylene	0.50	Not Analyzed
o-Xylene	0.50	Not Analyzed
Acetone	2.0	Not Analyzed

*Sample on hold per client's request.

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	NA	70-130
Toluene-d8	NA	70-130
4-Bromofluorobenzene	NA	70-130

AIR TOXICS LTD.

SAMPLE NAME: Poly-CIN-024

ID#: 9509314A-03A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 5100211
Dil. Factor: 2200
Analyst's Initials: MH

Date of Collection: 9/29/95
Date of Analysis: 10/2/95

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	1100	2200
1,1-Dichloroethene	1100	Not Detected
Freon 113	1100	Not Detected
cis-1,2-Dichloroethene	1100	23000
Chloroform	1100	2200
1,1,1-Trichloroethane	1100	Not Detected
Benzene	1100	2800
Trichloroethene	1100	640000 E
Toluene	1100	1600
Tetrachloroethene	1100	Not Detected
m,p-Xylene	1100	7200
o-Xylene	1100	6300
Acetone	4400	Not Detected

E = Exceeds instrument calibration range, but within linear range.

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	104	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	90	70-130

AIR TOXICS LTD.

SAMPLE NAME: Poly-CIN-024 Duplicate

ID#: 9509314A-03B

EPA METHOD TO-14 GC/MS Full Scan

File Name: 5100213 Date of Collection: 9/29/95
Dil. Factor: 2200 Date of Analysis: 10/2/95
Analyst's Initials: LTS

Compound	Det. Limit (ppbv)	Amount (ppbv)	RPD
Vinyl Chloride	1100	2000	9.5
1,1-Dichloroethene	1100	Not Detected	NA
Freon 113	1100	Not Detected	NA
cis-1,2-Dichloroethene	1100	22000	4.4
Chloroform	1100	2100	4.7
1,1,1-Trichloroethane	1100	Not Detected	NA
Benzene	1100	2400	15
Trichloroethene	1100	600000 E	6.5
Toluene	1100	1500	6.5
Tetrachloroethene	1100	Not Detected	NA
m,p-Xylene	1100	7300	1.4
o-Xylene	1100	6300	0
Acetone	4400	Not Detected	NA

E = Exceeds instrument calibration range, but within linear range.

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	107	70-130
Toluene-d8	97	70-130
4-Bromofluorobenzene	92	70-130

AIR TOXICS LTD.

SAMPLE NAME: Poly-CEN-025

ID#: 9509314A-04A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 5100212

Date of Collection: 9/29/95

Dil. Factor: 2800

Date of Analysis: 10/2/95

Analyst's Initials: MH

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	1400	2500
1,1-Dichloroethene	1400	Not Detected
Freon 113	1400	Not Detected
cis-1,2-Dichloroethene	1400	26000
Chloroform	1400	2500
1,1,1-Trichloroethane	1400	Not Detected
Benzene	1400	3500
Trichloroethene	1400	690000 E
Toluene	1400	Not Detected
Tetrachloroethene	1400	Not Detected
m,p-Xylene	1400	Not Detected
o-Xylene	1400	Not Detected
Acetone	5600	Not Detected

E = Exceeds instrument calibration range, but within linear range.

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	104	70-130
Toluene-d8	99	70-130
4-Bromofluorobenzene	89	70-130

AIR TOXICS LTD.

SAMPLE NAME: Method Spike

ID#: 9509314A-05A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 5100202 Date of Collection: NA
Dil. Factor: 1.0 Date of Analysis: 10/2/95
Analyst's Initials: MH

Compound	Det. Limit (ppbv)	% Recovery
Vinyl Chloride	0.50	97
1,1-Dichloroethene	0.50	103
Freon 113	0.50	98
cis-1,2-Dichloroethene	0.50	95
Chloroform	0.50	100
1,1,1-Trichloroethane	0.50	102
Benzene	0.50	92
Trichloroethene	0.50	87
Toluene	0.50	84
Tetrachloroethene	0.50	81
m,p-Xylene	0.50	90
o-Xylene	0.50	85
Acetone	2.0	103

Container Type: NA

Surrogates	% Recovery	Method Limits
Octafluorotoluene	103	70-130
Toluene-d8	99	70-130
4-Bromofluorobenzene	109	70-130

AIR TOXICS LTD.

SAMPLE NAME: Lab Blank

ID#: 9509314A-06A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 5100206

Date of Collection: NA

Dil. Factor: 1.0

Date of Analysis: 10/2/95

Analyst's Initials: MH

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	0.50	Not Detected
1,1-Dichloroethene	0.50	Not Detected
Freon 113	0.50	Not Detected
cis-1,2-Dichloroethene	0.50	Not Detected
Chloroform	0.50	Not Detected
1,1,1-Trichloroethane	0.50	Not Detected
Benzene	0.50	Not Detected
Trichloroethene	0.50	Not Detected
Toluene	0.50	Not Detected
Tetrachloroethene	0.50	Not Detected
m,p-Xylene	0.50	Not Detected
o-Xylene	0.50	Not Detected
Acetone	2.0	Not Detected

Container Type: NA

<u>Surrogates</u>	<u>% Recovery</u>	<u>Method Limits</u>
Octafluorotoluene	105	70-130
Toluene-d8	96	70-130
4-Bromofluorobenzene	73	70-130

USE A BALLPOINT PEN AND PRESS FIRMLY
THE INSTRUCTIONS FOR FILLING OUT
THIS FORM ARE ON THE BACK

၈၈၈၈

TASK OR SUB TASK (one per form):

LABORATORY NAME & ADDRESS:

CONTRACT NAME:

150 BLUE RAVINE RD. C. F. B.

CHARGE NUMBER:

FOLSON C A 9c/630

SAMPLE NUMBER	COLLECTION		SAMPLERS INITIALS	NUMBER OF UNITS	UNIT QUANTITY	MATRIX CODE	PRESERVATIVE	TYPE OF ANALYSIS	QC	DISPOSAL DATE	DISPOSAL'S INITIALS
	DATE	TIME									
21-306-17	9/2/85	1100	CA	1	10.1	CA	-	14 + P *		15/1/86	
21-306-23	9/2/85	1100	CA	1	1	CA	-	14 - P *		15/1/86	
21-306-24	9/2/85	1105	CA	1	1	CA	-	14 + P *		20/1/86	
21-306-25	9/2/85	1105	CP	1	1	CA	-	14 + P *		20/1/86	
								P Defect + rewater			
								by analysis			
								(P) at			
								water added			
								IS ND using TC 14.			

RELEASED BY	DATE	TIME	COMMENTS: X DO NOT ANALYZE
	1/1/8	1:00	UNCLASSIFIED & CARTR.
RECEIVED BY	DATE	TIME	RELINQUISHED BY
	1/1/8	1:00	
	1/1/8	1:00	Donald Finner
	1/1/8	1:00	98045-16-46
	1/1/8	1:00	
	1/1/8	1:00	
	1/1/8	1:00	
DISPOSAL CONFIRMED BY	DATE	TIME	CHAIN-OF-CUSTODY RETURNED BY
	1/1/8	1:00	

WHITE - COORDINATOR / GOLDENROD - PROJECT DIRECTOR / PINK - SAMPLE CONTROL / YELLOW - LABORATORY / BLUE - LABORATORY RECEIPT

Custody Seal intact? Y N None

good.

@ AIR TOXICS LTD.

AN ENVIRONMENTAL ANALYTICAL LABORATORY

WORK ORDER #: 9510006A

Work Order Summary

CLIENT: Ms. Carol Kontonickas
Radian Corporation
10389 Old Placerville Road
Sacramento, CA 95827

BILL TO: Subcontracts Payable
Radian Corporation
P.O. Box 201088
Austin, TX 78720-1088

PHONE: 916-857-7448
FAX: 916-362-2318
DATE RECEIVED: 10/2/95
DATE COMPLETED: 10/6/95

INVOICE # 8191
SUBCONTRACT # S00256066
PROJECT # 602-125-80-10 McClellan Polymer
AMOUNT\$: \$820.00

FRACTION

NAME

TEST

RECEIPT

VAC./PRES.

PRICE

01A	Poly-CIN-026	TO-14	2.0 "Hg	\$205.00
02A	Poly-CEN-027	TO-14	2.5 "Hg	\$205.00
03A	Poly-CIN-028	TO-14	2.0 "Hg	\$205.00
04A	Poly-CEN-029	TO-14	1.5 "Hg	\$205.00
05A	Method Spike	TO-14	NA	NC
06A	Lab Blank	TO-14	NA	NC

CERTIFIED BY:

Jennifer L. Furman
Laboratory Director

DATE:

10/6/95

10/12/95
S
Moqued

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630
(916) 985-1000 • (800) 985-5955 • FAX (916) 985-1020

AIR TOXICS LTD.

SAMPLE NAME: Poly-CIN-026

ID#: 9510006A-01A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 5100310

Date of Collection: 9/30/95

Dil. Factor: 2700

Date of Analysis: 10/3/95

Analyst's Initials: MH

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	1400	2400
1,1-Dichloroethene	1400	Not Detected
Freon 113	1400	Not Detected
cis-1,2-Dichloroethene	1400	25000
Chloroform	1400	2500
1,1,1-Trichloroethane	1400	Not Detected
Benzene	1400	3300
Trichloroethene	1400	720000
Toluene	1400	2200
Tetrachloroethene	1400	Not Detected
m,p-Xylene	1400	9500
o-Xylene	1400	8200
Acetone	5400	Not Detected

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	94	70-130
Toluene-d8	101	70-130
4-Bromofluorobenzene	82	70-130

AIR TOXICS LTD.

SAMPLE NAME: Poly-CEN-027

ID#: 9510006A-02A

EPA METHOD TO-14 GC/MS Full Scan

File Name:	5100311	Date of Collection:	9/30/95
Dil. Factor:	2800	Date of Analysis:	10/3/95
Analyst's Initials:	MH		

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	1400	1600
1,1-Dichloroethene	1400	Not Detected
Freon 113	1400	Not Detected
cis-1,2-Dichloroethene	1400	24000
Chloroform	1400	2500
1,1,1-Trichloroethane	1400	Not Detected
Benzene	1400	2600
Trichloroethene	1400	690000
Toluene	1400	2100
Tetrachloroethene	1400	Not Detected
m,p-Xylene	1400	19000
o-Xylene	1400	22000
Acetone	5600	Not Detected

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	105	70-130
Toluene-d8	99	70-130
4-Bromofluorobenzene	75	70-130

AIR TOXICS LTD.

SAMPLE NAME: Poly-CIN-028

ID#: 9510006A-03A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 5100313

Date of Collection: 10/2/95

Dil. Factor: 2700

Date of Analysis: 10/3/95

Analyst's Initials: MH

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	1400	2000
1,1-Dichloroethene	1400	Not Detected
Freon 113	1400	Not Detected
cis-1,2-Dichloroethene	1400	25000
Chloroform	1400	2400
1,1,1-Trichloroethane	1400	Not Detected
Benzene	1400	2700
Trichloroethene	1400	660000
Toluene	1400	1600
Tetrachloroethene	1400	Not Detected
m,p-Xylene	1400	9600
o-Xylene	1400	7200
Acetone	5400	Not Detected

Container Type: 1 Liter Summa Canister

Surrogates	% Recovery	Method Limits
Octafluorotoluene	98	70-130
Toluene-d8	104	70-130
4-Bromofluorobenzene	84	70-130

AIR TOXICS LTD.

SAMPLE NAME: Poly-CEN-029

ID#: 9510006A-04A

EPA METHOD TO-14 GC/MS Full Scan

File Name:	5100314	Date of Collection:	10/2/95
Dil. Factor:	2700	Date of Analysis:	10/3/95
Analyst's Initials:	MH		

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	1400	2100
1,1-Dichloroethene	1400	Not Detected
Freon 113	1400	Not Detected
cis-1,2-Dichloroethene	1400	27000
Chloroform	1400	2500
1,1,1-Trichloroethane	1400	Not Detected
Benzene	1400	3700
Trichloroethene	1400	720000
Toluene	1400	1900
Tetrachloroethene	1400	Not Detected
m,p-Xylene	1400	5400
o-Xylene	1400	3800
Acetone	5400	Not Detected

Container Type: 1 Liter Summa Canister

<u>Surrogates</u>	<u>% Recovery</u>	<u>Method Limits</u>
Octafluorotoluene	105	70-130
Toluene-d8	95	70-130
4-Bromofluorobenzene	77	70-130

AIR TOXICS LTD.

SAMPLE NAME: Method Spike

ID#: 9510006A-05A

EPA METHOD TO-14 GC/MS Full Scan

File Name: 5100302
Dil. Factor: 1.0
Analyst's Initials: MH

Date of Collection: NA
Date of Analysis: 10/3/95

Compound	Det. Limit (ppbv)	% Recovery
Vinyl Chloride	0.50	82
1,1-Dichloroethene	0.50	95
Freon 113	0.50	92
cis-1,2-Dichloroethene	0.50	97
Chloroform	0.50	95
1,1,1-Trichloroethane	0.50	99
Benzene	0.50	89
Trichloroethene	0.50	82
Toluene	0.50	90
Tetrachloroethene	0.50	82
m,p-Xylene	0.50	93
o-Xylene	0.50	89
Acetone	2.0	103

Container Type: NA

Surrogates	% Recovery	Method Limits
Octafluorotoluene	99	70-130
Toluene-d8	99	70-130
4-Bromofluorobenzene	95	70-130

AIR TOXICS LTD.

SAMPLE NAME: Lab Blank

ID#: 9510006A-06A

EPA METHOD TO-14 GC/MS Full Scan

File Name:	5100305	Date of Collection:	NA
Dil. Factor:	1.0	Date of Analysis:	10/3/95
Analyst's Initials:	MH		

Compound	Det. Limit (ppbv)	Amount (ppbv)
Vinyl Chloride	0.50	Not Detected
1,1-Dichloroethene	0.50	Not Detected
Freon 113	0.50	Not Detected
cis-1,2-Dichloroethene	0.50	Not Detected
Chloroform	0.50	Not Detected
1,1,1-Trichloroethane	0.50	Not Detected
Benzene	0.50	Not Detected
Trichloroethene	0.50	Not Detected
Toluene	0.50	Not Detected
Tetrachloroethene	0.50	Not Detected
m,p-Xylene	0.50	Not Detected
o-Xylene	0.50	Not Detected
Acetone	2.0	Not Detected

Container Type: NA

Surrogates	% Recovery	Method Limits
Octafluorotoluene	107	70-130
Toluene-d8	93	70-130
4-Bromofluorobenzene	71	70-130

WHITE - COORDINATOR / GOLDENROD - PROJECT DIRECTOR / PINK - SAMPLE CONTROL / YELLOW - LABORATORY / BLUE - LABORATORY RECEIPT

10/12/95 15:07:28

RADIAN ANALYTICAL SERVICES
FPAS REPORT
TABLE OF CONTENTS

Work Order # 9509431

Client MCCLLELLAN AFB
Facility
Client Code MCCLLEL ICIP

Certified By [Signature]
Date 10/16/95

Report Form	Analytical Batch ID	Pages	
		From	To
Work Order Summary	MSMSDA51008211602	1	1
Flag Definitions		2	2
Protocol Summary for Volatile Organics SW8260		3	3
Results Summary		4	5
Initial Calibration		6	11
Analysis Batch Summary		12	12
Results		13	14
Laboratory Blank Information		15	16
Laboratory Control Samples		17	17
Matrix Spikes		18	18
Calibration Verification		19	24
Comments/Narrative		25	25

10/16/95
[Signature]
TCH
222x

10/12/95 15:07:28

WORK ORDER SUMMARY

Report RADIAN CORPORATION
To 10395 OLD PLACERVILLE ROAD
SACRAMENTO, CA 95827
Attention CAROL GULIZA-KONTONICKAS
Phone SAC

Client Code MCCLLEL TCLP
Client MCCLLELLAN AFB
Facility
Work ID TCLP-8240

Work Order # 9509431

Page 1

RCN 602-125-80-10

Prepared Radian Analytical Services
By 14046 Summit Dr., Bldg. B
P. O. Box 201088
Austin, TX 78720-1088
512/244-0855
CSC JALINDSEY

Case # NA
SDG # NA
RAS # 50601AJAL

Project Sample ID/ Description	Lab Sample ID	Test Code(s)	Method Description
POLY-APN-015	01A LEACHATE	826SWBTL DISPWA00	Volatiles Organics by GC/MS Sample Disposal Charge
TBLK953973	02A LEACHATE	826SWBTL	Volatiles Organics by GC/MS
POLY-APN-015	03A MS	826SWBMS	Volatiles Organics by GC/MS
	04A MSD	826SWBMS	Volatiles Organics by GC/MS

FLAG DEFINITIONS

Flag	Definition
< DL	Result less than stated Detection Limit and greater than or equal to zero.
NA	Analyte concentration not available for this analysis.
NC	RPD and/or % Recovery not calculated. See Narrative for explanation.
ND	Not detected. No instrument response for analyte or result less than zero.
NR	Not reported. Result greater than or equal to stated Detection Limit and less than specified Reporting Limit.
NS	Analyte not spiked.
B	Analyte detected in method blank at concentration greater than the Reporting Limit (and greater than zero).
C	Confirming data obtained using second GC column or GCMS.
E	Analyte concentration exceeded calibration range.
F	Interference or coelution suspected. See Narrative for explanation.
H	Presence of analyte previously confirmed by historical data.
I	Analyte identification suspect. See Narrative for explanation.
J	Result is less than stated Detection Limit but greater than or equal to specified Reporting Limit.
K	Peak did not meet method identification criteria. Analyte not detected on other GC column.
M	Result modified from previous Report. See Narrative for explanation.
P	Analyte not confirmed. Results from primary and secondary GC columns differ by greater than a factor of 3.
Q	QC result does not meet tolerance in Protocol Specification.
R	Result reported elsewhere.
S	Analyte concentration obtained using Method of Standard Additions (MSA).
T	Second column confirmational analysis not performed.
X	See Narrative for explanation.
Y	See Narrative for explanation.
Z	See Narrative for explanation.

10/12/95 15:07:28

ANALYTICAL PROTOCOL SUMMARY

Work Order # 9509431
Page 3

Specification # 826S

Client MCCLELLAN AFB
Facility
Client Code MCCLEL TCPLP
Method Volatile Organics SW8260

Project Sample ID/Description	Lab Sample ID	Test Code(s)	Extraction/Digestion Batch #	Analysis Batch #
POLY-APN-015	9509431-01A	826SWBTL	NA	MSHSDA51008211602
POLY-APN-015	9509431-01A	826SWBTL	NA	MSHSDA51008211602

10/12/95 15:07:28

RESULTS SUMMARY

Work Order # 9509431
Page 4Method Volatile Organics SW8260A
Test Code 826SWBTL

Project Sample ID:	POLY-APN-015	POLY-APN-015	POLY-APN-015	POLY-APN-015
Lab ID:	9509431-01A LEACHA	9509431-01A LEACHA	9509431-01A LEACHA	
File ID:	F1008519	F1008519	F1008520	
Date Collected:	09/29/95	09/29/95	09/29/95	
Date Prepared:				
Date Analyzed:	10/09/95 12:40:00	10/09/95 12:40:00	10/09/95 13:31:00	
Dilution Factor:	1000	1000	100	
Matrix:	Water	Water	Water	
Units:	ug/L	ug/L	ug/L	
Report as:	received	received	received	
Column:				
Analyte	Conc.	DL	Conc.	DL
Benzene	ND	503	60.0	50.3
2-Butanone(MEK)	ND	2320	ND	232
Carbon tetrachloride	ND	566	ND	56.6
Chlorobenzene	ND	591	ND	59.1
Chloroform	ND	678	ND	67.8
1,2-Dichloroethane	5830	791	6550	79.1
1,1-Dichloroethene	ND	802	ND	80.2
Tetrachloroethene	ND	674	ND	67.4
Trichloroethene	15600	438	14900	43.8
Vinyl chloride	ND	738	ND	73.8

high vs
recovery
72.6%

10/12/95 15:07:28

RESULTS SUMMARY (Cont'd)

Work Order # 9509431

Page 5

Method Volatile Organics SW8260A

Test Code 826SWBTL

Project Sample ID:	POLY-APN-015	POLY-APN-015	
Lab ID:	9509431-01A LEACHA	9509431-01A LEACHA	
File ID:	F1008519	F1008520	
Date Collected:	09/29/95	09/29/95	
Date Prepared:			
Date Analyzed:	10/09/95 12:40:00	10/09/95 13:31:00	
Dilution Factor:	1000	100	
Matrix:	Water	Water	
Units:	ug/L	ug/L	
Report as:	received	received	
Column:			
Analyte	Conc.	Conc.	DL

Surrogate(s)	Recovery %	Recovery %	Recovery %
1,4-Bromofluorobenzene	89	90	
1,2-Dichloroethane-d4	65	78	
Toluene-d8	95	92	

Sol'n # #MS-VOA-STD-3 p.24

Method Volatile Organics SW8260A

Test Code 826SWB00

Initial Calibration # MSDA950911000000

Calibration Date 09/11/95 00:00:00

Instrument MSDA

Analyst MER

Reviewer APS

Analytes	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	RF	% RSD
Dichlorodifluoromethane	2.999 10	2.628 20	2.692 50	2.752 100	2.775 200			2.77	5.08
Chloromethane SPCC	3.238 10	2.890 20	2.806 50	2.844 100	2.713 200			2.90	6.93
Vinyl chloride CCC	2.747 10	2.489 20	2.371 50	2.440 100	2.252 200			2.46	7.46
Bromomethane	1.773 10	1.609 20	1.577 50	1.575 100	1.497 200			1.61	6.35
Chloroethane	1.123 10	0.964 20	0.966 50	0.937 100	0.917 200			0.981	8.33
Trichlorofluoromethane	2.972 10	2.633 20	2.183 50	2.563 100	2.368 200			2.54	11.7
Acrolein	0.337 50	0.329 100	0.301 250	0.322 500	0.298 1000			0.317	5.42
Acetonitrile	0.135 50	0.123 100	0.131 250	0.127 500	0.130 1000			0.129	3.48
Acetone	0.587 10	0.430 20	0.395 50	0.520 100	0.456 200			0.478	16.0
Iodomethane	3.079 10	2.980 20	3.067 50	3.017 100	2.956 200			3.02	1.77

10/12/95 15:07:28

INITIAL CALIBRATION Cont'd

Work Order # 9509431

Page 7

Sol'n # MS-VOA-STD-3 p.24

Initial Calibration # MSDA950911000000

Calibration Date 09/11/95 00:00:00

Method Volatile Organics SW8260A

Test Code 826SWB00

Instrument MSDA

Analyst MER

Reviewer APS

Analytes	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	RF	% RSD
1,1-Dichloroethene CCC	1.481 10	1.404 20	1.427 50	1.368 100	1.349 200			1.41	3.69
Carbon disulfide	5.131 10	4.959 20	4.968 50	4.890 100	4.779 200			4.95	2.60
1,1,2-Trichlorotrifluoroethane	1.555 10	1.497 20	1.553 50	1.462 100	1.480 200			1.51	2.82
Acrylonitrile	0.595 10	0.559 20	0.609 50	0.579 100	0.572 200			0.583	3.36
3-Chloropropene	2.492 10	2.408 20	2.366 50	2.239 100	2.076 200			2.32	7.01
Methylene chloride	2.609 10	2.334 20	2.285 50	1.562 100	1.488 200			2.06	24.4
trans-1,2-Dichloroethene	1.395 10	1.361 20	1.381 50	1.327 100	1.318 200			1.36	2.46
Propanenitrile	0.163 50	0.152 100	0.155 250	0.171 500	0.171 1000			0.162	5.43
1,1-Dichloroethane SPCC	2.338 10	2.253 20	2.257 50	2.194 100	2.169 200			2.24	2.92
Vinyl acetate	3.146 10	2.756 20	2.802 50	2.758 100	2.641 200			2.82	6.79

10/12/95 15:07:28

INITIAL CALIBRATION Cont'd

Work Order # 9509431

Page 8

Sol'n # MS-VOA-STD-3 p.24

Method Volatile Organics SW8260A

Test Code 826SWB00

Initial Calibration # MSDA950911000000

Calibration Date 09/11/95 00:00:00

Instrument MSDA

Analyst MER

Reviewer APS

Analytes	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Reference Conc.	RF	% RSD
2-Chloro-1,3-butadiene	1.113 50	1.215 100	1.077 250	0.938 500	0.804 1000			1.03	15.6
2-Butanone(MEK)	0.605 10	0.568 20	0.572 50	0.534 100	0.485 200			0.553	8.23
Tetrahydrofuran	0.146 10	0.173 20	0.190 50	0.208 100	0.191 200			0.182	12.9
cis-1,2-Dichloroethene	1.308 10	1.279 20	1.284 50	1.266 100	1.254 200			1.28	1.59
Chloroform CCC	2.216 10	2.062 20	2.113 50	2.069 100	2.068 200			2.11	3.09
1,1,1-Trichloroethane	2.144 10	2.077 20	2.136 50	2.093 100	2.138 200			2.12	1.44
1,2-Dichloroethane	2.117 10	2.097 20	2.133 50	2.084 100	2.071 200			2.10	1.19
Benzene	1.180 10	1.141 20	1.150 50	1.107 100	1.040 200			1.12	4.76
Carbon tetrachloride	0.335 10	0.333 20	0.343 50	0.344 100	0.342 200			0.339	1.48
2-Hexanone	0.458 10	0.470 20	0.472 50	0.449 100	0.459 200			0.462	2.05

10/12/95 15:07:28

INITIAL CALIBRATION Cont'd

Work Order # 9509431

Page 9

Sol'n # MS-VOA-SID-3 p.24Method Volatile Organics SW8260ATest Code 826SWB00Initial Calibration # MSDA950911000000Calibration Date 09/11/95 00:00:00Instrument MSDAAnalyst MERReviewer APS

Analytes	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	RF	% RSD
4-Methyl-2-pentanone (MIBK)	0.281 10	0.268 20	0.292 50	0.281 100	0.284 200	0.281 100	0.281	3.07
1,2-Dichloropropane CCC	0.329 10	0.322 20	0.326 50	0.320 100	0.296 200	0.320 100	0.319	4.11
Trichloroethene	0.324 10	0.312 20	0.319 50	0.312 100	0.312 200	0.312 100	0.316	1.74
Dibromomethane	0.221 10	0.211 20	0.211 50	0.212 100	0.206 200	0.212 100	0.212	2.57
Bromodichloromethane	0.357 10	0.361 20	0.373 50	0.375 100	0.376 200	0.375 100	0.368	2.38
Methyl methacrylate	0.205 10	0.202 20	0.215 50	0.220 100	0.219 200	0.220 100	0.212	3.88
2-Chloroethyl vinyl ether	0.226 10	0.220 20	0.221 50	0.227 100	0.218 200	0.227 100	0.222	1.76
trans-1,3-Dichloropropene	0.483 10	0.472 20	0.491 50	0.488 100	0.479 200	0.488 100	0.483	1.55
cis-1,3-Dichloropropene	0.425 10	0.419 20	0.442 50	0.438 100	0.418 200	0.438 100	0.428	2.57
Toluene CCC	0.709 10	0.685 20	0.702 50	0.681 100	0.648 200	0.681 100	0.685	3.46

10/12/95 15:07:28

INITIAL CALIBRATION Cont'd

Work Order # 9509431

Page 10

Sol'n # MS-VOA-SID-3 p.24

Method Volatile Organics SW8260A

Test Code 826SWB00

Initial Calibration # MSDA950911000000

Calibration Date 09/11/95 00:00:00

Instrument MSDA

Analyst MER

Reviewer APS

Analytes	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Reference Conc.	RF	% RSD
1,1,2-Trichloroethane	0.623 10	0.601 20	0.627 50	0.620 100	0.610 200		0.616	1.72
Ethyl methacrylate	0.868 10	0.886 20	0.914 50	0.934 100	0.937 200		0.908	3.32
Dibromochloromethane	0.699 10	0.695 20	0.718 50	0.741 100	0.747 200		0.720	3.29
1,2-Dibromoethane	0.705 10	0.683 20	0.700 50	0.695 100	0.692 200		0.695	1.20
Tetrachloroethene	0.556 10	0.555 20	0.542 50	0.536 100	0.557 200		0.549	1.74
Chlorobenzene SPCC	1.884 10	1.808 20	1.847 50	1.819 100	1.808 200		1.83	1.78
1,1,1,2-Tetrachloroethane	0.628 10	0.607 20	0.622 50	0.635 100	0.645 200		0.627	2.27
Ethylbenzene	0.959 10	0.925 20	0.952 50	0.936 100	0.931 200		0.941	1.53
m,p-Xylene	1.192 20	1.146 40	1.152 100	1.130 200	1.096 400		1.14	3.05
Bromoform SPCC	0.404 10	0.420 20	0.450 50	0.473 100	0.488 200		0.447	7.86

Sol'n # #MS-VOA-STD-3 p.24

Method Volatile Organics SW8260A

Test Code 826SWB00

Initial Calibration # MSDA950911000000

Calibration Date 09/11/95 00:00:00

Instrument MSDAAnalyst MER

Reviewer APS

Analytes	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	Response Factor Reference Conc. ug/L	% RSD
Styrene	2.147 10	2.037 20	1.989 50	2.032 100	2.004 200	2.04	3.04
o-Xylene	1.136 10	1.113 20	1.127 50	1.115 100	1.119 200	1.12	0.846
trans-1,4-Dichloro-2-butene	0.184 10	0.198 20	0.209 50	0.221 100	0.226 200	0.208	8.24
1,1,2,2-Tetrachloroethane SPCC	0.786 10	0.784 20	0.790 50	0.800 100	0.803 200	0.793	1.07
1,2,3-Trichloropropane	0.585 10	0.595 20	0.592 50	0.594 100	0.612 200	0.596	1.67
1,3-Dichlorobenzene	1.280 10	1.293 20	1.342 50	1.370 100	1.391 200	1.34	3.59
1,4-Dichlorobenzene	1.315 10	1.310 20	1.375 50	1.396 100	1.424 200	1.36	3.68
1,2-Dichlorobenzene	1.207 10	1.226 20	1.287 50	1.300 100	1.344 200	1.27	4.40
1,2-Dibromo-3-chloropropane	0.099 10	0.121 20	0.134 50	0.141 100	0.149 200	0.129	15.2

10/12/95 15:07:28

ANALYSIS BATCH SUMMARY

Work Order # 9509431
Page 12

Analysis Batch # MSMSDA51008211602

Method Volatile Organics SW8260

Test Code 826SWB00

Initial Calibration # MSDA950911000000

Calibration Date 09/11/95

Analysis Start Date/Time 10/08/95 21:16:00

Analysis Stop Date/Time 10/09/95 19:49:00

Instrument MSDA

Analyst MER

Reviewer APS

Sequence/Analysis Time	Project Sample ID	Lab Sample ID	Sample Type	Analysis File #
1 10/08/95 21:16:00		BFB	GCMS Tune	F1008507
2 10/08/95 21:29:00		SB	Laboratory Blank	F1008508
3 10/08/95 21:53:00		VSTDAL	Continuing Calibration Check	F1008509
4 10/08/95 22:51:00		VSTDAL	Continuing Calibration Check	F1008510
5 10/08/95 23:17:00		SB	Laboratory Blank	F1008511
6 10/08/95 23:48:00		LCS956007	Lab Control Sample	F1008512
7 10/09/95 00:12:00		LCS956008	Lab Control Sample Dup	F1008513
8 10/09/95 00:36:00		BLK954015	Laboratory Blank	F1008514
9 10/09/95 10:11:00		BFB	GCMS Tune	F1008515
10 10/09/95 10:24:00		SB	Laboratory Blank	F1008516
11 10/09/95 10:48:00		VSTDAL	Continuing Calibration Check	F1008517
12 10/09/95 11:47:00		VSTDAL	Continuing Calibration Check	F1008518
13 10/09/95 12:40:00	POLY-APN-015	9509431-01A	Sample	F1008519
14 10/09/95 13:31:00	POLY-APN-015	9509431-01A	Sample	F1008520
15 10/09/95 14:17:00	POLY-APN-015	9509431-03A	Matrix Spike	F1008521
16 10/09/95 14:41:00	POLY-APN-015	9509431-04A	Matrix Spike Dup	F1008522
17 10/09/95 15:06:00		SB	Laboratory Blank	F1008523
18 10/09/95 15:30:00	TBLK953973	9509431-02A	Laboratory Blank	F1008524
27 10/09/95 19:24:00		SB	Laboratory Blank	F1008533

RESULTS

Work Order # 9509431

Page 13

Extraction Batch #
 Analysis Batch # MSMSDA51008211602
 TCLP Batch # TCICLP509281755

Project Sample ID POLY-APN-015
 Lab Sample ID 9509431-01A LEACHA
 File # F1008519
 Method Volatile Organics SW8260A
 Test Code 826SMBTL

Date Collected 09/29/95
 Date Received 09/23/95
 Date Prepared
 Date Analyzed 10/09/95 12:40:00

Instrument MSDA
 Column
 Analyst MER
 Reviewer APS

Reporting Subset
 Spikes Subset
 Specs Subset

Matrix W
 Report As received
 % Moisture

Analyte	CAS #	Aliquot Mass/Volume		Detection Limit ug/L	Reporting Limit ug/L
		Extract/Digestate Volume	Dilution Factor		
Benzene	71-43-2	5.0 (mL)	1000	503	503
2-Butanone(MEK)	78-93-3			2320	2320
Carbon tetrachloride	56-23-5			566	566
Chlorobenzene	108-90-7			591	591
Chloroform	67-66-3			678	678
1,2-Dichloroethane	107-06-2			791	791
1,1-Dichloroethene	75-35-4			802	802
Tetrachloroethene	127-18-4			674	674
Trichloroethene	79-01-6			438	438
Vinyl chloride	75-01-4			738	738

Surrogate(s)	CAS #	Spiked Conc. ug/L	Measured Concentration ug/L	Recovery %	Specification Limits	
					Low %	High %
1,4-Bromofluorobenzene	460-00-4	50000	44700	89	75	113
1,2-Dichloroethane-d4	17070-07-0	50000	32400	65	56	144
Toluene-d8	2037-26-5	50000	47500	95	85	115

10/12/95 15:07:28

Work Order # 9509431
Page 14

RESULTS

Extraction Batch # _____
 Analysis Batch # MSMSDA51008211602
 TCLP Batch # ICICLP509281755

Project Sample ID POLY-APN-015 Date Collected 09/29/95 Instrument MSDA Reporting Subset _____ Matrix M
 Lab Sample ID 9509431-01A LEACHA Date Received 09/23/95 Column _____ Spikes Subset _____ Report As received
 File # F1008520 Date Prepared _____ Analyst MER Specs Subset _____ % Moisture _____
 Method Volatile Organics SW8260A Date Analyzed 10/09/95 13:31:00 Reviewer APS
 Test Code 826SWBTL

Analyte	CAS #	Aliquot Mass/Volume		Detection Limit ug/L	Reporting Limit ug/L
		5.0 (mL)	Extract/Digestate Volume 5.0 (mL)		
Benzene	71-43-2	60.0		50.3	50.3
2-Butanone(MEK)	78-93-3	ND		232	232
Carbon tetrachloride	56-23-5	ND		56.6	56.6
Chlorobenzene	108-90-7	ND		59.1	59.1
Chloroform	67-66-3	ND		67.8	67.8
1,2-Dichloroethane	107-06-2	6550		79.1	79.1
1,1-Dichloroethene	75-35-4	ND		80.2	80.2
Tetrachloroethene	127-18-4	ND		67.4	67.4
Trichloroethene	79-01-6	14900		43.8	43.8
Vinyl chloride	75-01-4	ND		73.8	73.8

Surrogate(s)	CAS #	Spiked Conc. ug/L	Measured Concentration ug/L	Recovery %	Specification Limits	
					Low %	High %
1,4-Bromofluorobenzene	460-00-4	5000	4520	90	75	113
1,2-Dichloroethane-d4	17070-07-0	5000	3880	78	56	144
Toluene-d8	2037-26-5	5000	4610	92	85	115

LABORATORY BLANK INFORMATION

Work Order # 9509431
Page 15Extraction Batch # _____
Analysis Batch # MSMSDA51008211601Lab Sample ID BLK954015
File # F1008514
Method Volatile Organics SW8260A
Test Code 826SWBTLDate Prepared _____
Date Analyzed 10/09/95 00:36:00Instrument MSDA
Column _____
Analyst MER
Reviewer APS
Reporting Subset _____
Spikes Subset _____
Specs Subset _____
Matrix W

Analyte	Aliquot Mass/Volume _____5.0 (mL) Extract/Digestate Volume _____5.0 (mL) Dilution Factor _____1		Detection Limit ug/L	Reporting Limit ug/L
	Measured Conc. ug/L			
Benzene	ND		0.503	0.503
2-Butanone (MEK)	ND		2.32	2.32
Carbon tetrachloride	ND		0.566	0.566
Chlorobenzene	ND		0.591	0.591
Chloroform	ND		0.678	0.678
1,2-Dichloroethane	ND		0.791	0.791
1,1-Dichloroethene	ND		0.802	0.802
Tetrachloroethene	ND		0.674	0.674
Trichloroethene	ND		0.438	0.438
Vinyl chloride	ND		0.738	0.738

Surrogate(s)	Spiked Conc. ug/L	Measured Conc. ug/L	Recovery %	Specification Limits	
				Low %	High %
1,4-Bromofluorobenzene	50.0	45.0	90	83	113
1,2-Dichloroethane-d4	50.0	33.0	66	59	135
Toluene-d8	50.0	47.1	94	87	113

10/12/95 15:07:28

LABORATORY BLANK INFORMATION

Work Order # 9509431

Page 16

Extraction Batch #

Analysis Batch # MSMSDA51008211602

ICLP Batch # ICICLP509281755

Lab Sample ID 9509431-02A LEACHA

File # F1008524

Method Volatile Organics SW8260A

Test Code 826SWBTL

Date Prepared

Date Analyzed 10/09/95 15:30:00

Instrument MSDA

Column

Analyst MER

Reviewer APS

Reporting Subset

Spikes Subset

Specs Subset

Matrix W

Analyte	Aliquot Mass/Volume		Detection Limit ug/L	Reporting Limit ug/L
	5.0 (mL)	Extract/Digestate Volume 5.0 (mL)		
	Dilution Factor 10			
	Measured Conc. ug/L			
Benzene	ND		5.03	5.03
2-Butanone (MEK)	ND		23.2	23.2
Carbon tetrachloride	ND		5.66	5.66
Chlorobenzene	ND		5.91	5.91
Chloroform	ND		6.78	6.78
1,2-Dichloroethane	ND		7.91	7.91
1,1-Dichloroethene	ND		8.02	8.02
Tetrachloroethene	ND		6.74	6.74
Trichloroethene	ND		4.38	4.38
Vinyl chloride	ND		7.38	7.38

Surrogate(s)	Spiked Conc. ug/L	Measured Conc. ug/L	Recovery %	Specification Limits	
				Low %	High %
1,4-Bromofluorobenzene	500	443	88	75	113
1,2-Dichloroethane-d4	500	324	65	56	144
Toluene-d8	500	477	95	85	115

LABORATORY CONTROL SAMPLE

Work Order # 9509431

Extraction Batch #

Page 17

Analysis Batch # MSMSDA51008211600

Method Volatile Organics SW8260A

Date Prepared

Date Analyzed

10/09/95 00:12:00

Instrument MSDA

Column

Analyst MER

Reviewer APS

Reporting Subset

Spikes Subset

Specs Subset

Matrix W

Report As received

% Moisture

Aliquot Mass or Vol 5.0 (mL)

Extract Mass or Vol 5.0 (mL)

Control Std. #	Vol. Added	Surrogate Sol'n #	Vol. Added	LCS			LCS Duplicate			Recovery Spec. Limits		RPD	
				Spiked Conc. ug/L	Measured Conc. ug/L	Rec. %	Spiked Conc. ug/L	Measured Conc. ug/L	Rec. %	Low %	High %	Result %	Spec. Limit %
LCS	5 uL	1,2-DCA-d4	5 uL	20.0	21.1	105	20.0	21.6	108	77	135	2.8	10
		Toluene-d8	5 uL	20.0	14.6	73	20.0	139	139	0.1	182	12	50
		1,4-BFB	5 uL	20.0	21.1	105	20.0	14.6	73	70	140	0	10
Benzene				20.0	19.1	95	20.0	21.5	107	74	124	1.9	12
2-Butanone(MEK)				20.0	15.0	75	20.0	19.7	98	66	130	3.1	16
Carbon tetrachloride				20.0	18.3	92	20.0	13.4	67	58	142	11	26
Chlorobenzene				20.0	22.2	111	20.0	18.5	93	45	149	1.1	29
Chloroform				20.0	19.4	97	20.0	22.5	113	68	126	1.8	11
1,2-Dichloroethane				20.0	14.5	72	20.0	20.0	100	75	119	3.0	11
1,1-Dichloroethene				20.0			20.0	14.6	73	37	146	1.4	38
Tetrachloroethene													
Trichloroethene													
Vinyl chloride													

Surrogate(s)				
1,4-Bromofluorobenzene	50.0	46.8	94	50.0
1,2-Dichloroethane-d4	50.0	36.7	74	50.0
Toluene-d8	50.0	46.5	93	50.0
			83	113
			59	135
			87	113

10/12/95 15:07:28

MATRIX SPIKE(S)

Work Order # 9509431
Page 18

Extraction Batch #

Analysis Batch # MSMSDA51008211602

TCLP Batch # ITCICLP509281755

Date Collected 09/29/95

Date Received 09/23/95

Date Prepared

Date Analyzed 10/09/95 14:41:00

Project Sample ID POLY-APN-015

Method Volatile Organics SW8260A

Test Code 826SWBMS

Reporting Subset

Spikes Subset

Specs Subset

Matrix W

Report As received

% Moisture

Spike Sol'n # Matrix spike	Vol. Added 5 <u>uL</u>	Sample Lab Sample ID 9509431-01A LEACHA File # F1008520	Spiked Sample Lab Sample ID 9509431-03A MS File # F1008521	Spiked Sample Dup Lab Sample ID 9509431-04A MSD File # F1008522	Recovery Specifi- cation Limits				RPD		
					Measured Conc. ug/L	Spiked Conc. ug/L	Rec. %	Low % High %		Result %	Specifi- cation Limit %
Surrogate Sol'n	Vol. Added	Aliquot Mass/Vol	Aliquot Mass/Vol	Aliquot Mass/Vol							
1,2-DCA-d4	5 <u>uL</u>	5.0 <u>(mL)</u>	5.0 <u>(mL)</u>	5.0 <u>(mL)</u>							
Toluene-d8	5 <u>uL</u>	Extract Mass/Vol	Extract Mass/Vol	Extract Mass/Vol							
1,4-BFB	5 <u>uL</u>	5.0 <u>(mL)</u>	5.0 <u>(mL)</u>	5.0 <u>(mL)</u>							
		Dil Fact. <u>100</u>	Dil Fact. <u>100</u>	Dil Fact. <u>100</u>							
Analyte	Spike Sol'n Conc. ug/L	Measured Conc. ug/L	Spiked Conc. ug/L	Measured Conc. ug/L	Rec. %	Spiked Conc. ug/L	Measured Conc. ug/L	Rec. %	Low % High %	Result %	Specifi- cation Limit %
Benzene	50000	60.0	5000	5310	105	5000	5510	109	77	135	10
Chlorobenzene	50000	ND	5000	5590	112	5000	5740	115	74	124	12
1,1-Dichloroethene	50000	ND	5000	4390	88	5000	4590	92	45	149	29
Toluene	50000	ND	5000	5320	106	5000	5470	109	79	131	12
Trichloroethene	50000	14900	5000	20500 E	113	5000	21200 E	126 Q	75	119	11

Surrogate(s)											
1,4-Bromofluorobenzene	50000	4520	5000	4630	92	5000	4620	92	75	113	
1,2-Dichloroethane-d4	50000	3880	5000	3280	66	5000	3280	66	56	144	
Toluene-d8	50000	4610	5000	4720	94	5000	4730	94	85	115	

CONTINUING (OR DAILY) CALIBRATION VERIFICATION

Work Order # 9509431
Page 19

Analysis Batch # MSMSDA51008211600
Initial Calibration # MSDA950911000000

Lab Sample ID VSDICAL
File # F1008510
Method Volatile Organics SW8260A
Test Code 826SWB00

Date Analyzed 10/08/95 22:51:00

Reporting Subset
Spikes Subset
Specs Subset

Instrument MSDA
Analyst MER
Reviewer APS

Analyte	Measured Concentration ug/L	Reference Concentration ug/L	Recovery %	Recovery Specification Limits	
				Low %	High %
Acetone	64.0	50.0	128		
Acetonitrile	182	250	73		
Acrolein	185	250	74		
Acrylonitrile	42.6	50.0	85		
Benzene	52.8	50.0	106		
Bromodichloromethane	42.9	50.0	86		
Bromoform	42.5	50.0	85		
Bromomethane	43.5	50.0	87		
2-Butanone(MEK)	58.7	50.0	117		
Carbon disulfide	44.5	50.0	89		
Carbon tetrachloride	39.7	50.0	80		
Chlorobenzene	55.2	50.0	110		
Chloroethane	54.8	50.0	110		
2-Chloroethyl vinyl ether	31.0	50.0	62		
Chloroform	49.7	50.0	99	75	125
Chloromethane	38.8	50.0	78		
3-Chloropropene	48.2	50.0	96		
1,2-Dibromo-3-chloropropane	36.0	50.0	72		
Dibromochloromethane	46.2	50.0	92		
1,2-Dibromoethane	49.5	50.0	99		
Dibromomethane	42.9	50.0	86		
trans-1,4-Dichloro-2-butene	36.7	50.0	73		
1,2-Dichlorobenzene	48.9	50.0	98		
1,3-Dichlorobenzene	51.2	50.0	102		
1,4-Dichlorobenzene	50.4	50.0	101		

CONTINUING (OR DAILY) CALIBRATION

Work Order # 9509431

Page 20

VERIFICATION (Cont'd)

Analysis Batch # MSMSDA51008211600

Initial Calibration # MSDA950911000000

Lab Sample ID VSTDCL

Date Analyzed 10/08/95 22:51:00

Reporting Subset

Instrument MSDA

File # F1008510

Spikes Subset

Analyst MER

Method Volatile Organics SW8260A

Specs Subset

Reviewer APS

Test Code 826SWB00

Analyte	Measured Concentration ug/L	Reference Concentration ug/L	Recovery %	Recovery Specification Limits	
				Low %	High %
Dichlorodifluoromethane	45.2	50.0	90		
1,1-Dichloroethane	51.1	50.0	102		
1,2-Dichloroethane	39.2	50.0	78		
1,1-Dichloroethene	47.1	50.0	94	75	125
cis-1,2-Dichloroethene	56.6	50.0	113		
trans-1,2-Dichloroethene	54.1	50.0	108		
1,2-Dichloropropane	46.1	50.0	92	75	125
cis-1,3-Dichloropropene	40.8	50.0	82		
trans-1,3-Dichloropropene	43.7	50.0	88		
Ethyl methacrylate	46.8	50.0	94		
Ethylbenzene	56.1	50.0	112	75	125
2-Hexanone	47.6	50.0	95		
Iodomethane	46.2	50.0	92		
Methyl methacrylate	43.4	50.0	87		
4-Methyl-2-pentanone(MIBK)	40.6	50.0	81		
Methylene chloride	51.5	50.0	103		
Propanenitrile	240	250	96		
Styrene	50.2	50.0	100		
1,1,1,2-Tetrachloroethane	47.8	50.0	96		
1,1,2,2-Tetrachloroethane	45.4	50.0	91		
Tetrachloroethene	59.7	50.0	119		
Tetrahydrofuran	42.6	50.0	85		
Toluene	51.8	50.0	104	75	125
1,1,1-Trichloroethane	40.1	50.0	80		
1,1,2-Trichloroethane	50.9	50.0	102		

CONTINUING (OR DAILY) CALIBRATION

VERIFICATION (Cont'd)

Work Order # 9509431

Page 21

Analysis Batch # MSMSDA51008211600

Initial Calibration # MSDA950911000000

Lab Sample ID VSDCAL

File # F1008510

Method Volatile Organics SW8260A

Test Code 826SW800

Date Analyzed 10/08/95 22:51:00

Reporting Subset

Spikes Subset

Specs Subset

Instrument MSDA

Analyst MER

Reviewer APS

Analyte	Measured Concentration ug/L	Reference Concentration ug/L	Recovery %	Recovery Specification Limits	
				Low %	High %
Trichloroethene	51.5	50.0	103		
Trichlorofluoromethane	35.4	50.0	71		
1,2,3-Trichloropropane	46.7	50.0	93		
1,1,2-Trichlorotrifluoroethane	47.2	50.0	94		
Vinyl acetate	41.4	50.0	83		
Vinyl chloride	40.3	50.0	81	75	125
m,p-Xylene	111	100	111		
o-Xylene	54.2	50.0	108		

Surrogate(s)				
1,4-Bromofluorobenzene	48.2	50.0	96	83
1,2-Dichloroethane-d4	37.1	50.0	74	59
Toluene-d8	47.0	50.0	94	87
				113
				135
				113

CONTINUING (OR DAILY) CALIBRATION
VERIFICATIONWork Order # 9509431
Page 22Analysis Batch # MSMSDA51008211600
Initial Calibration # MSDA950911000000

Lab Sample ID VSTDAL _____ Date Analyzed 10/09/95 11:47:00 Reporting Subset _____ Instrument MSDA _____
 File # F1008518 _____ Spikes Subset _____ Analyst MER _____
 Method Volatile Organics SW8260A _____ Specs Subset _____ Reviewer APS _____
 Test Code 826SWB00 _____

Analyte	Measured Concentration ug/L	Reference Concentration ug/L	Recovery %	Recovery Specification Limits	
				Low %	High %
Acetone	60.2	50.0	120		
Acetonitrile	169	250	68		
Acrolein	169	250	68		
Acrylonitrile	38.8	50.0	78		
Benzene	51.1	50.0	102		
Bromodichloromethane	41.1	50.0	82		
Bromoform	38.8	50.0	78		
Bromomethane	41.7	50.0	83		
2-Butanone (MEK)	55.7	50.0	111		
Carbon disulfide	46.4	50.0	93		
Carbon tetrachloride	38.3	50.0	76		
Chlorobenzene	52.6	50.0	105		
Chloroethane	50.3	50.0	101		
2-Chloroethyl vinyl ether	31.1	50.0	62		
Chloroform	47.3	50.0	94	75	125
Chloromethane	37.2	50.0	74		
3-Chloropropene	44.6	50.0	89		
1,2-Dibromo-3-chloropropane	35.9	50.0	72		
Dibromochloromethane	41.6	50.0	83		
1,2-Dibromoethane	46.0	50.0	92		
Dibromomethane	41.3	50.0	83		
trans-1,4-Dichloro-2-butene	35.2	50.0	70		
1,2-Dichlorobenzene	49.3	50.0	99		
1,3-Dichlorobenzene	49.9	50.0	100		
1,4-Dichlorobenzene	49.6	50.0	99		

CONTINUING (OR DAILY) CALIBRATION

Work Order # 9509431

Page 23

VERIFICATION (Cont'd)

Analysis Batch # MSMSDA51008211600

Initial Calibration # MSDA950911000000

Lab Sample ID VSTDICAL

File # F1008518

Method Volatile Organics SW8260A

Test Code 826SWB00

Date Analyzed 10/09/95 11:47:00

Reporting Subst

Spikes Subst

Specs Subst

Instrument MSDA

Analyst MER

Reviewer APS

Analyte	Measured Concentration ug/L	Reference Concentration ug/L	Recovery %	Recovery Specification Limits	
				Low %	High %
Dichlorodifluoromethane	44.0	50.0	88		
1,1-Dichloroethane	48.5	50.0	97		
1,2-Dichloroethane	32.5	50.0	65		
1,1-Dichloroethene	46.3	50.0	93	75	125
cis-1,2-Dichloroethene	55.5	50.0	111		
trans-1,2-Dichloroethene	49.7	50.0	100		
1,2-Dichloropropane	44.5	50.0	89	75	125
cis-1,3-Dichloropropene	38.7	50.0	77		
trans-1,3-Dichloropropene	42.6	50.0	85		
Ethyl methacrylate	43.2	50.0	86		
Ethylbenzene	53.8	50.0	108	75	125
2-Hexanone	45.1	50.0	90		
Iodomethane	46.4	50.0	93		
Methyl methacrylate	40.6	50.0	81		
4-Methyl-2-pentanone (MIBK)	40.3	50.0	81		
Methylene chloride	51.5	50.0	103		
Propanenitrile	221	250	88		
Styrene	48.1	50.0	96		
1,1,1,2-Tetrachloroethane	45.9	50.0	92		
1,1,2,2-Tetrachloroethane	43.1	50.0	86		
Tetrachloroethene	56.2	50.0	112		
Tetrahydrofuran	34.6	50.0	69		
Toluene	50.7	50.0	101	75	125
1,1,1-Trichloroethane	36.4	50.0	73		
1,1,2-Trichloroethane	47.2	50.0	94		

10/12/95 15:07:28

CONTINUING (OR DAILY) CALIBRATION

Work Order # 9509431

Page 24

VERIFICATION (Cont'd)

Analysis Batch # MSMSDA51008211600

Initial Calibration # MSDA950911000000

Lab Sample ID VSTDICAL

File # F1008518

Method Volatile Organics SW8260A

Test Code 826SWB00

Date Analyzed 10/09/95 11:47:00

Reporting Subset

Spikes Subset

Specs Subset

Instrument MSDA

Analyst MER

Reviewer APS

Analyte	Measured Concentration ug/L	Reference Concentration ug/L	Recovery %	Recovery Specification Limits	
				Low %	High %
Trichloroethene	50.1	50.0	100		
Trichlorofluoromethane	34.1	50.0	68		
1,2,3-Trichloropropane	43.5	50.0	87		
1,1,2-Trichlorotrifluoroethane	48.8	50.0	98		
Vinyl acetate	36.4	50.0	73		
Vinyl chloride	39.4	50.0	79	75	125
m,p-Xylene	106	100	106		
o-Xylene	52.1	50.0	104		

Surrogate(s)				
1,4-Bromofluorobenzene	47.7	50.0	96	83 113
1,2-Dichloroethane-d4	32.1	50.0	64	59 135
Toluene-d8	47.7	50.0	95	87 113

10/12/95 15:07:28

ANALYTICAL PROTOCOL SUMMARY
COMMENTS/NARRATIVE

Work Order # 9509431
Page 25

Method Volatile Organics SW8260 Specification# _____

Lab Sample ID	Project Sample ID/Description	Analyte	Flag	Comment/Narrative	Corrective Action
---------------	-------------------------------	---------	------	-------------------	-------------------

REPORT COPY 9509431

Revised: 10/09/95

Lab Sample ID:	Client ID:	CSC:	Project Sample ID:
<u>9509431-01A</u>	<u>MCCLEL TCLP</u>	<u>JAL</u>	<u>POLY-APN-015</u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Comments: _____

Distribution: CSC, Lab, Report

REPORT COPY 9509431

Revised: 10/09/95

Lab Sample ID:	Client ID:	CSC:	Project Sample ID:
<u>9509501-15A</u>	<u>MCCLEL</u>	<u>JAL</u>	<u></u>
<u>9509431</u>	<u>TCLP</u>		<u></u>
<u>9510144</u>			<u></u>

Sample Went Dry	_____	Reprepare Sample	_____
Loss of _____ %	_____	Sample Sent for Analysis	_____
of Sample	_____	Resample	_____
Emulsion Formed	_____	Other (Describe)	_____
Blank Contamination	_____		_____
Instrument	_____		_____
Hold Time	_____		_____
MS/MSD Not Available	_____		_____
Instrument	_____		_____
Other (Describe)	_____		_____

SUSPECTED CAUSE		CORRECTIVE ACTION TAKEN	
Surrogate Recovery	Matrix Effect	Reprepare Sample	
MS/MSD Recovery	Instrument	Reanalyze Sample	
LCS/LCSD Recovery	Spiking Error	Reanalyze LCS/LCSD	
MS/MSD Precision	Contamination	Recalibrate Instrument	
LCS/LCSD Precision	Coelution	Analyze Out of Hold Time	
Standard	Unknown	Prepare New Standard	
Blank Contamination	Other (Describe)	Flag Data	
Instrument		Resample	
Hold Time		Analyze by MSA	
No MS/MSD Available		Perform Analytical Spike	
for Batch		No Action Required	
Sample pH		Level 3 QCER to Follow	
Dil. Due to Hi-Level		Other (Describe)	
Non-Target Analytes			
Serial Dilution			
Analytical Spike			
Internal Standard			
Other (Describe)			

Distribution: CSC, Lab, Report

10/03/95 16:41:44

RADIAN ANALYTICAL SERVICES
FPAS REPORT
TABLE OF CONTENTS

Work Order # 9509403

Client MCCLLELLAN AFB

Facility

Client Code MCCLLEL TCLP

Certified By Julie Alarock

Date 11/04/95

Report Form	Analytical Batch ID	Pages	
		From	To
Work Order Summary TCLP Batch Summary	TCLP950928174500	1	1
		2	2

OK
10/19/95
[Signature]

10/03/95 16:41:44

WORK ORDER SUMMARY

Report RADIAN CORPORATION
To 10395 OLD PLACERVILLE ROAD
SACRAMENTO, CA 95827
Attention CAROL GULIZA-KONTONICKAS
Phone SAC

Client Code MCCLEL TCLP
Client MCCLELLAN AFB
Facility
Work ID TCLP-8240

Work Order # 9509403
Page 1
RCN 602-125-80-10

Prepared Radian Analytical Services
By 14046 Summit Dr., Bldg. B
P. O. Box 201088
Austin, TX 78720-1088
512/244-0855
CSC JALINDSEY

Case # NA
SDG # NA
RAS # 50601AJAL

Project Sample ID/ Description	Lab Sample ID	Test Code(s)	Method Description
POLY-APN-015	01A TCZP	TCZPSA00	TCLP leaching, ZHE
TBLK	01B TCZP	SPAREB00	Spare sample
	02A TCZP	TCZPSA00	TCLP leaching, ZHE

10/03/95 16:41:44

TCLP BATCH SUMMARY
TCLP Batch # ICLP950928174500

Work Order # 9509403
Page 2

Method TCLP leaching, ZHE
Test Code ICZPSA00

Extraction Start Date/Time 09/28/95 17:45:00
Extraction Stop Date/Time 09/29/95 11:30:00

Analyst CMB
Reviewer _____

Sample	Project Sample ID	Lab Sample ID	Weight (g)	Volume (mL)
1	POLY-APN-015	9509403-01A	20.09	400
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				

Quality Control	Project Sample ID	Lab Sample ID	Weight (g)	Volume (mL)
Blank		TBLK953973	0	400

APPENDIX B
Field Data Sheets

Elastomeric Polymer Filter Media Treatability Study
System Parameters Data Sheet Field Log

PAGE 1 OF 4

Date	Time	Sampler's Initials	Polymer Blower System Clock	FAN SVE System Chart	Canister ID	Inlet Parameters				Outlet Parameters			Sample Collected? ID
						Flow Rates			Pressure or Vacuum	Differential Pressure Vacuum	Temp F		
						Waste Stream	Dilution Air	Total					
09/12	1440	CEK	NA	NC	A	37	Ø	~6"	NC	108	~6"	N	
09/12	1445	CEK	NA	NC	A	37	Ø	~6"	NC	108	~6"	N	
09/12	1450	CEK	NA	989.6	A	35	Ø	5.5"H ₂ O	NC	108	5.8"H ₂ O	989.6 003	
09/12	1510	CEK	NA	989.8	A	36	Ø	5.8"	NC	108	6"	N	
09/12	1550	CEK	NA	990.5	A	36	Ø	5.5"	NC	108	6"	N	
09/12	1615	CEK	NA	990.9	A	36	Ø	5.8"	NC	108	6"	990.2 003	
09/13	1105	GM	NA	NC	A	32	Ø	NC	NC	NC	NC	N	
09/13	1105	STOPPED	SYSTEM		BLOWER								
09/13	1120	TURNED ON	SYSTEM		BLA	14	Ø	1"	2"H ₂ O	80	1"	N	
09/13	1130	CEK	NA	1007.6	A	40	Ø	6"	6"H ₂ O	80	6"	N	
09/13	1145	CEK	NA	1007.9	A	38	Ø	6"	6"H ₂ O	88	6"	N	
09/13	1200	CEK	NA	1008.1	A	38	Ø	6"	6"H ₂ O	90	6"	1008.4 005 006	
09/13	1240	CEK	NA	1008.7	A	38	Ø	6"	6"H ₂ O	94	6"	N	
09/14	0920	CEK	NA	1029.4	A	36	Ø	6"	5.5"H ₂ O	64	6"	ØØ7	
09/15	1240	JWL	NC	NC	A	38	Ø	5.5"H ₂ O	5.5"H ₂ O	NC	6"	ØØ8	
09/18	1610	CEK	NC	1132.2	A	37	Ø	5.5"	6"H ₂ O	106	6"	110 ØØ9	

Vacuum expressed in inches of mercury

Pressure expressed in inches of water

If sample collected, indicate corresponding sample ID(s)

AT 1625 ON 09/18 REDUCED INFLUENT FLOW BY HALF. CEK

If sample collected, indicate corresponding sample ID(s)

Pressure expressed in inches of water

Vacuum expressed in inches of mercury

Elastomeric Polymer Filter Media Treatability Study
System Parameters Data Sheet Field Log

PAGE 3 OF

4

Date	Time	Sampler's Initials	Polymer Blower System Clock	SVE System Chart	Canister ID	Inlet Parameters				Outlet Parameters				Sample Collected? ID
						Flow Rates			Pressure or Vacuum	Temp F	Differential Pressure Vacuum	Pressure or Vacuum	Temp F	
						Waste Stream	Dilution Air	Total						
09/22/95	0930	CEK	NC	NC	B	6	4	10	2.25	64	1" H ₂ O	2	70	N
09/22/95	1000	CGK	NC	NC	B	6	4	10	2.25	70	1.2" H ₂ O	2	78	Φ16 Φ17
09/22/95	1015	CGK	NC	NC	B	6	4	10	2.25	70	1.2" H ₂ O	2	78	N
9/23/95	0805	SAF	NC	NC	B	6	4	10	2.5	62	1.2" H ₂ O	2	60	Φ18 Φ19
9/24/95	0840	CGK	NC	NC	B	8	4	12	2.5	64	1.2" H ₂ O	2	60	N
9/24/95	1600	SAF	NC	NC	B	6	4	10	2.25 Hg	86	1.2" H ₂ O	2" Hg	82	N
9/27/95	1000	SAF	NC	NC	B	4	6	10	2.25 Hg	80	1.2" Hg	2" Hg	70	Φ20 Φ21
9/28/95	0905	CEK	NC	NC	B	4 ^{check}	6	10	2.5	70	1.2" H ₂ O	2	62	N
9/29/95	0810	CEK	NC	NC	B	5	6	11	2.5" Hg	NC	1.0" H ₂ O	NC	55	Φ22 Φ23
9/29/95	0830	CEK	SHUT	OFF	FLOW TO CANISTER	TO CHANGE				OUT POLYMER IN A.				

Vacuum expressed in inches of mercury

Pressure expressed in inches of water

If sample collected, indicate corresponding sample ID(s)

Elastomeric Polymer Filter Media Treatability Study
System Parameters Data Sheet Field Log

PAGE 4 OF 4

Date	Time	Sampler's Initials	Polymer Blower System Clock	SVE System Chart	Canister ID	Inlet Parameters				Outlet Parameters				Sample Collected? ID
						Flow Rates			Pressure or Vacuum	Temp F	Differential Pressure Vacuum	Pressure or Vacuum	Temp F	
						Waste Stream	Dilution Air	Total						
09/29/95	0935	CEK	NC	NC	C	7	13	20	2	64	1.2" H ₂ O	2	70	N
09/29/95	0945	CEK	NC	NC	C	8	10	18	2.25	64	1.4" H ₂ O	2	70	N
09/29/95	1000	1005 SHUT SYSTEM OFF TO SWITCH OUT FLOW METERS												
09/29/95	1010	CEK	NC	NC	C	13	Ø	13	2.5	78	1.0" H ₂ O	2	72	N
09/29/95	1030	CEK	NC	NC	C	13	Ø	13	2.25	80	1.0" H ₂ O	2	72	N
9/29/95	1105	SAF	NC	NC	C	13	Ø	13	2.25	84	1.0" H ₂ O	2.14g	80	Q24 Q25
9/30/95	1630	SAF	NC	NC	C	12	Ø	12	2.14g	100°F	1.1" H ₂ O	2" Hg	98°F	Q26 Q27
10/2/95	0830	SAF	NC	NC	C	13	Ø	13	2.254g	68°F	1.0" H ₂ O	2" Hg	66°F	Q28 Q29
10/4/95	0935	SAF	NC	NC	C	12	Ø	12	2.14g	76°F	1.0" H ₂ O	2" Hg	70°F	Q30 Q31
10/5/95	1155	SAF	NC	NC	C	1Ø	Ø	1Ø	1.75" Hg	98°F	1.0" H ₂ O	1.25" Hg	90°F	* N
10/6/95	1645	SAF	NC	NC	C	10	Ø	1Ø	2.0" Hg	94°F	1.0" H ₂ O	1.8" Hg	96°F	Q32 Q33
<div>TEST CONCLUDED ON 10/10/95</div>														

Vacuum expressed in inches of mercury

Pressure expressed in inches of water

If sample collected, indicate corresponding sample ID(s)

ON 10/05/95 CATOX UNIT WAS NOT OPERATING CONTINUOUSLY AT STABLE CONDITIONS. FLOW WAS AS HIGH AS 20 scfm.

APPENDIX C

Quality Assurance Data Assessment

POLYMER FILTER MEDIA QUALITY ASSURANCE/QUALITY CONTROL RESULTS

This section presents the results of the Quality Assurance/Quality Control (QA/QC) data assessment for 29 air samples analyzed by TO-14, and 14 air samples analyzed by Method 18 modified. The samples were analyzed by Air Toxics Ltd. (Folsom, California). Toxicity Characteristic Leaching Procedure (Method SW1311) was performed on one solid sample of filter media, and the leachate was analyzed by Method SW8260. This sample was analyzed by Radian Analytical Services (Austin, Texas). Quality control (QC) samples collected to assess contamination, precision and accuracy for the data set are presented in the following order: blanks (reagent); spikes (method, matrix and surrogate); duplicates (lab, matrix spike and field).

Overall, the QC sample results indicate good accuracy and precision for the sampling and analysis procedures. No reagent blank contamination was indicated. All of the method spikes (with the exception of 5), matrix spikes (with one exception), and surrogate spike recoveries and all of the Relative Percent Differences (RPDs) for matrix spike duplicate, lab control duplicate samples, and field duplicates met established data quality objectives.

Reagent Blanks

Reagent blanks are used to demonstrate that interferences or contamination from the analytical system, including glassware and reagents used in the analytical procedure, are under laboratory control. No target analytes were detected, indicating that the analytical system was free of contamination and no sample results are affected.

Method Spikes

Method spikes, also known as laboratory control samples (LCS), are a solution of method analytes at known concentrations that are spiked into ultra high purity compressed air or reagent grade water (depending on sample matrix) and analyzed to assess the accuracy of the method. The results are reported as the percent recovery of each spiked compound. Four out of seven method spike recoveries for vinyl chloride had slightly high recoveries. Seven project sample results for vinyl chloride were qualified as "J+" estimated potentially biased high. One out of seven method spike recoveries had slightly low recoveries for o-xylene. Two project sample results for o-xylene were qualified as "J-" estimated potentially biased low.

Matrix Spikes

A matrix spike is a solution of method analytes at known concentrations that are spiked into a field sample. The results of the analysis of the spiked sample are then reported as a percent

recovery of each spiked compound. this percent recovery is used to assess bias caused by matrix interference. Two matrix spike samples (one pair) were analyzed by Method SW8260, and all recoveries (with the exception of trichlorethene) were within acceptable limits, indicating good overall accuracy. One matrix spike sample had slightly high recovery for trichloroethene and the TCLP extract sample was flagged "J+" estimated potentially biased high.

Surrogate Spikes

Surrogates were added to every sample, blank, and method spike to monitor both the performance of the analytical system and the effectiveness of the method in recovering the compounds of interest for each sample matrix. The percent recovery of the surrogate spike compounds were compared to the recovery objectives established for the method. All surrogate spike results met acceptable limits, indicating that there were no problems associated with recovering target analytes using these methods.

Duplicates

Laboratory Duplicates

Laboratory duplicates are repeated, independent analyses of the same sample, by the same analyst, at essentially the same time and under the same conditions. The sample is split in the laboratory, and each fraction is carried through all stages of sample preparation and analysis. Duplicate analyses are used to assess the precision of each analytical method. Sample POLY-CIN-024 had a laboratory duplicate performed. Eight pairs of results RPD's were all less than 16%, which is within acceptable limits for precision and indicates good overall reproducibility.

Matrix Spike/Matrix Spike Duplicates

A matrix spike/matrix spike duplicate (MS/MSD) is used to assess precision of the method for the specific sample matrix. One MS/MSD pair was analyzed by Method SW8260. The RPD's were all less than 11 percent, which is within acceptable limits for precision, and indicates good overall reproducibility.

Field Duplicates

Field duplicate samples are used to evaluate the precision of the total measurement system and estimate variability in the entire sampling and analytical process. The sample identified as POLY-AEX-006 was a field duplicate of sample POLY-AEN-005. Analysis of this sample by method TO-14 and Method 18 modified yielded five analyte pairs for which RPD's could be

calculated. All the calculated RPD's met the data quality objectives, indicating good precision and reproducibility.

Holding Times

Method protocol specifies the maximum amount of time a sample can be stored before analysis (i.e., the sample "holding time"). All samples were analyzed within the required holding times from sample collection to analysis.

Calibration Ranges

Ten samples for trichloroethene by Method TO-14 exceeded the instrument calibration range, but were within linear range. These results were "J+" flagged estimated potentially biased high.

TABLE 1. Qualified Data

METHOD	ANALYTE	REASON	QUAL FLAG	SAMPLE ID	
TO-14	Trichloroethene	Calibration range exceeded, within linear range.	J+	POLY-VW-315-001 POLY-AIN-002 POLY-AEN-007 POLY-AIN-090 POLY-AEN-012	POLY-BIN-016 POLY-BIN-018 POLY-BEN-021 POLY-CIN-024 POLY-CEN-025
TO-14	Vinyl chloride	Method spike had a high recovery.	J+	POLY-AIN-002 POLY-AEN-003 POLY-AEN-007	POLY-AIN-090 POLY-BIN-020 POLY-AEN-012
TO-14	o-Xylene	Method spike had a low recovery.	J-	POLY-AIN-013	POLY-AEN-014
SW8260	Trichloroethene	Matrix spike had high recovery.	J+	POLY-APN-015	

POLYMER FILTER MEDIA RESULTS

[illegible]

POLYMER FILTER MEDIA RESULTS

[illegible]

POLYMER FILTER MEDIA RESULTS

[illegible]

[illegible]

POLYMER FILTER MEDIA RESULTS

[illegible]

POLYMER FILTER MEDIA RESULTS

[illegible]

POLYMER FILTER MEDIA RESULTS

[illegible]

POLYMER FILTER MEDIA RESULTS

[illegible]

POLYMER FILTER MEDIA RESULTS

[illegible]

POLYMER FILTER MEDIA RESULTS

[illegible]

POLYMER FILTER MEDIA RESULTS

[illegible]

POLYMER FILTER MEDIA RESULTS

[illegible]

POLYMER FILTER MEDIA RESULTS

[illegible]

POLYMER FILTER MEDIA RESULTS

[illegible]

POLYMER FILTER MEDIA RESULTS

[illegible]

POLYMER FILTER MEDIA RESULTS

[illegible]

POLYMER FILTER MEDIA RESULTS

[illegible]

POLYMER FILTER MEDIA RESULTS

[illegible]

APPENDIX D

Advanced Water Systems PetroLOK™ PL22 Product Information



14207 NE 193rd Place Woodinville, WA 98072
Phone: 206/485-0670 Fax: 206/486-4983

INTRODUCTION

To

PetroLØK™ PL 22

INTRODUCTION

A new water filtration media revolutionizes the removal of petroleum hydrocarbons and other volatile organic compounds (VOC's) from waste streams.

Analytical data on the performance of this new media called **PetroLOK™ PL22** indicate the product is superior to granular activated carbon (GAC) for many applications, and that PL22 represents a new "**best available technology**" for the removal of hydrocarbons from water.

The PL22 filtration media is a unique blend of proprietary polymers and virgin activated carbon designed to capture remaining hydrocarbons and VOC's after removal of free hydrocarbon product. The filtration media's unique properties lowers treatment costs and drastically reduces retention times.

Unlike activated carbon which removes contaminants through adsorption, the proprietary polymer in PetroLOK™ PL22 absorbs and bonds contaminants. The polymer is capable of absorbing 10-15 times its weight of hydrocarbon. The proprietary blend can absorb and bond up to 4 times its own weight in contaminants. As a result, although the pound-per-pound cost of PL22 media is higher than GAC, analyses show that 14 to 20 times less of the PL22 is required to treat the same amount of water.

Another major benefit provided by PetroLOK™ PL22 filtration media is the speed with which it removes hydrocarbons and VOC's from water. Analyses conducted on waste water containing levels of total hydrocarbons and VOC's ranging from 10,000 PPM to 1 PPB show that the PL22 media removes most hydrocarbons and VOC's within the first three minutes of exposure to the media. Additional contaminant removal occurs as retention times increase. Analyses of effluent from activated carbon indicate that an average retention time of 15 to 25 minutes is required to achieve similar levels of contaminant removal.

BACKGROUND

Water is essential to every living thing. Two-thirds of the human body is water. Three-fourths of the earth is covered by water, but only 3% of this water is fresh (non-salty). Two-thirds of this water is locked into the polar ice caps and not currently available for consumption. This leaves less than 1% for human and industrial uses.

Total daily water consumption in the U.S. is approximately 500 billion gallons. Industry uses approximately 43% of this total. It takes nearly 60,000 gallons to produce one ton of steel and almost 70,000 gallons to produce one ton of paper. Agricultural use of water accounts for 47% of the total. The usage quickly adds up when one realizes it takes 115 gallons of water to grow the wheat for one loaf of bread, 2,000 gallons to produce a pound of beef, and an amazing 120 gallons to produce a single egg.

The remaining 10% (50 billion gallons) is for personal use. This figure represents approximately 100 gallons per person per day used for gardening and cleaning. Only 2 to 3 quarts per person per day is actually used for drinking and cooking. The average family of four requires only 2 to 3 gallons of drinkable water per day.

Nature's Water Cycle

Pure water is vital to our future. Fresh pure water evaporating from the oceans begins the earth's cycle. This pure water vapor passes over land, interacts with air currents and temperature variations, and eventually falls to the earth as precipitation in the form of rain or snow.

As the rain and melting snow run across the surface of the land, debris, chemicals, pesticides, and hydrocarbons are carried along, making their way back to the oceans by way of streams, lakes and rivers. Water which soaks into the ground becomes part of the vast underground "sea" which dissolves rocks and decomposes organics. These underground waters are known as aquifers, and they, too, move to the oceans. Some aquifers move five to ten feet per year, and others move more than five miles per year.

Eventually all the water that falls as rain or snow makes its way back to the oceans carrying silt, dirt, debris, and millions of tons of waste accumulated through this process.

THE PROBLEM

Is enough pure water available today and in the future? Over 700 organic chemicals have been identified in various public water supplies; many are carcinogenic, many others are suspect. Most contaminants are man-made. In 1985, American industry produced over 250 million tons of hazardous waste or approximately one ton for every American. By 1993, this had grown to over 500 million tons. At that time only about 10% of all this hazardous waste was properly disposed of. The remaining 90% was burned, dumped, improperly burned, or simply poured into water disposal systems. Since then, improper disposal has been significantly reduced, but it is still a major concern.

Over the years, a significant portion of polluted waste water is contaminated by petroleum products and by-products. The illegal discharge of petroleum products (hydrocarbons) has become the big issue of today. Tighter controls have been written and enforcement is stricter. Marine discharge, leaking fuel tanks, industrial discharge, storm water run-off, pipelines and accidental spills are now closely monitored for compliance. Companies are scrambling to find economic ways to clean water, air, and soil before discharge to meet the tighter controls and avoid citations and/or fines. What can be done?

EXISTING TECHNOLOGY

The most common method for attempting to remove floating, dissolved and emulsified hydrocarbons from water is by filtering the water through granular activated carbon (GAC). Other technologies include air stripping (introduce air into water stream), ultra filtration (still often uses activated carbon as final polisher), and bio-remediation (temperature-sensitive and generally slow).

When carbon granules are burned under controlled conditions, a high purity carbon surface with a micropore structure results. Such "activated" carbons have a surface area of over 10,000 square feet per gram (over 120 acres per pound). This high purity, non-polar surface with many micropores and capillaries removes organic materials by a process of adsorption (a surface collection of liquids, does not become part of and can be removed). Since "like" adsorbs "like", non-polar organics are readily held by carbon. Aromatic and aliphatic hydrocarbons such as benzene, gasoline, diesel fuel, oil, grease, toluenes,

and xylenes fall into this category. Also included are many organics associated with pesticides, cleaning compounds, and natural organics.

One of the major problems with activated carbon is that it is fouled almost immediately by dissolved or emulsified hydrocarbons. At its best, GAC is 25% efficient. However, when wet, actual data shows GAC to have a 1% to 15% efficiency, and after being fully exhausted, can allow hydrocarbons to leach back into the water stream. In general, the capacity of the best activated carbon is to adsorb 25% of its own weight in contaminants. While most activated carbon can be regenerated, each regeneration reduces its effective capacity. Most commonly used activated carbon for filtering waste water is in the 1 to 15% capacity range.

ENHANCED TECHNOLOGY

In December, 1992, a new filtration media, PetroLOK™ PL22, was created. It is a proprietary blend of an advanced hydrophobic elastomeric polymer and activated carbon capable of absorbing up to 4 times its own weight in hydrocarbon contaminants. The polymer itself has been used since 1991 to absorb and bond hydrocarbons in spill response situations. It is so effective that it can remove hydrocarbons to not detect in minutes and bonds the hydrocarbons permanently. It was not usable in a filter because it would almost immediately plug. In late 1992, it was discovered that if mixed with other ingredients and blended in a special way with activated carbon, it became a sensational filter media.

The results are startling. This media stands alone and has no equal as a replacement for activated carbon in filtration applications.

Consider The Following:

PetroLOK™ PL22 media has at minimum 20 times the capacity for hydrocarbon pickup (if 100 lbs of activated carbon will pickup 20 lbs, 100 lbs of PL22 can pick up to 400 lbs of petro hydrocarbons).

PetroLOK™ PL22 media on average is 400% efficient, where activated carbon at its best is only 25% efficient.

PetroLOK™ PL22 media reduces the cost of filtration treatment by 30% or more. Even greater savings are realized when labor and disposal costs associated with dealing with 20+ times the volume of activated carbon are calculated.

PetroLOK™ PL22 media can remove most hydrocarbon contaminants to acceptable discharge requirements with retention time as low as three minutes.

PetroLOK™ PL22 filtration media is a blend of proprietary polymers and activated carbon designed to capture hydrocarbons and VOC's after removal of free hydrocarbon product. The polymer is hydrophobic (hates water), and can absorb (take in; transform into a different form; bond) up to 15 times its own weight of hydrocarbons.

The proprietary mixture can remove up to 4 times its own weight of hydrocarbons. This translates to both efficiency and capacity. PetroLOK™ PL22 can be as much as 40 times more efficient than GAC.

After removal from the filtering process and sitting for 24 hours, the polymer is so effective it will leach hydrocarbon contaminants from the activated carbon and bond them. The resultant bonded mix has passed TCLP testing. The expended media can then be land filled or incinerated according to local requirements.

A caution at this point, PetroLOK™ PL22 does not work the same way as activated carbon. When the media is loaded to approximately 80% of capacity, the back pressure through the filter bed essentially doubles. This indicates it is time to change the media. The waste stream should not break through. The useful capacity of PetroLOK™ PL22 is 1,816,000 mg of hydrocarbon per one pound of media (4:1 ratio by weight). However, absorption ratios will vary when filtering chlorinated solvents and VOC's. The ratios can vary from 4:1 to 1:1.

Contaminants Removed

The following contaminants can be successfully removed from waste water using PetroLOK™ PL22 filter media. The critical variable for degree of removal is residence time (contact time with the media bed). As a rule of thumb, to get contaminants to less than 1 PPB requires 3 minutes for BTEX, 4 minutes for light chlorinated hydrocarbons, and 5 minutes for mixed chlorinated hydrocarbons at levels above 20 PPM.

1,1,2-Trichloroethane	DBCP	PCB's
1,1-Dichloroethane	Dieldrin	Petroleum Oils
1,1-Dichloroethylene	Diesel Fuel	Phenol Compounds (some)
1,2,3-Trichloropropane	Endrin	Phthalates
1,2-Dichloroethane	Pyrens	1,2-Dichloropropane
Flourens (some)	Acetone	Gasoline
THM's	Benzene	Halogenated Hydrocarbons
Toluene Compounds	BHC's	Lindane
Toxaphene	Benzo Compounds	Methylene Chloride
Trichloroethylene (TCE)	Napthalenes	Xylenes
Chlorine	Nitro Compounds	

COST CONSIDERATIONS

Depending on volume and efficiency ratings of activated carbon, the cost of PetroLOK™ PL22 is from 10 to 20 times higher than activated carbon. The price of the product, however, is only relevant as an input for determining the cost of removal of contaminants. The first consideration to any user is comparison to current cost. If hydrocarbon contaminated waste water is simply pumped and hauled away for treatment and disposal, the cost can run as high as \$3.00/gal., as low as \$.28/gal, with a national average running around \$.40/gal.

The cost of activated carbon in a pump-and-treat system can run from \$.75/lb. to \$2.50/lb. depending on the quality and the efficiency of the product. It is generally found that the less efficient the activated carbon, the lower the cost per pound. While activated carbon can be regenerated, the efficiency generally is reduced with each regeneration. A major consideration here is the cost of handling and transport. If the

activated carbon is 20% efficient, one needs 20 times more GAC than PetroLOK™ PL22 to remove the same level of contaminants. If the activated carbon is 10-12% efficient (national average), one needs up to 40 times more.

Calculate the cost of removing 100 mg/l of TPH (Total Petroleum Hydrocarbons) from a waste stream to not detectable levels. One hundred pounds (100 lbs.) of PetroLOK™ PL22 media can clean 477,900 gallons of waste water to not detectable. The cost to treat each gallon would then be the retail cost of PetroLOK™ PL22 divided by 477,900 gallons of wastewater. To accomplish the same removal in activated carbon, 100 pounds could treat 24,000 gallons of waste water at 20% efficiency or 12,000 gallons at 10% efficiency. The treatment cost would then be the retail cost of the activated carbon in dollars divided by either 24,000 or 12,000. Generally, the PetroLOK™ PL22 will average 30% lower in material cost.

The total cost, however, must take into account the handling and disposal of the used product. If 100 pounds of PetroLOK™ PL22 will filter 477,900 gallons of water contaminated to 100 PPM, it will take from 2,000 to 4,000 lbs of activated carbon to do the same. This is 20 to 40 times the quantity of material to receive, handle and remove for regeneration or disposal. This is where the significant cost reduction of PetroLOK™ PL22 is evident.

CURRENT APPLICATIONS

- A. An installation at American Marine Corporation (AMC) in New Orleans pumps bilge's and degasses barges in their operation. They were running an OWS on the bilge water, then paying to have the water hauled away. AMC's net cost was \$.34/gal. after oil recovered was sold. The waste water contained 370 PPM of dissolved hydrocarbons. After filtering through a 10 GPM system, the effluent contained less than 4 PPM hydrocarbons. AMC received a permit from the State of Louisiana Department of Environmental Quality to discharge into the Mississippi. The cost for this treatment is less than \$.01/gal.
- B. Kentucky Marine of Greenville, MS installed a similar system at their location and received a discharge permit from the State of Mississippi to discharge into the Mississippi River.
- C. Delta Auto, Alabama, manufacturing automotive parts. A 10 GPM filtration system utilizing PL22 has been installed and is meeting the discharge regulation that are specified by the state of Alabama.
- D. Alcoa has installed a 10 GPM system for removal of hydrocarbons and PCB's from contaminated water which also includes an OWS, a clarifier, particulate filter and aeration.
- E. Ryder Truck is filtering waste water with a 10 GPM system.
- F. An Exxon tank farm has a 15 GPM system to reduce BTEX levels to discharge requirements.
- G. A power company in Maryland and Virginia is filtering waste water from transformers to remove PCB's.

- H. A shipping company on the Great Lakes is installing bilge treatment systems on all of its ships to meet the recent Great Lakes standard of 5 PPM. This is soon to be lowered to 0 PPM. Their potential fine for non-compliance is \$7,000/day. PetroLOK™ PL22 meets their requirements.
- I. Reese Air Force base in Texas has installed a system to remove 45 PPB of a chlorinated solvent to ND (< 1 PPB). The theoretical bed life is estimated at 65 years.
- J. The Department of Environmental Regulations (DER) of Pennsylvania has recommended the use of PetroLOK™ PL22 to filter a holding pond containing 200,000 gallons of water contaminated with 15 PPB of benzene.
- K. Colonna's Shipyards 100 GPM filtration system analytical test data shows effluent water at not detectable PPM off TPH. Have received discharge permit to discharge water into the Elizabeth River. Virginia regulation is 5 PPM allowable.
- L. Taylor Environmental Products, Inc. Louisville, Mississippi manufactures Oil Water Separators (OWS) that utilize PL22 for final polish before discharge to meet federal discharge requirements.
- M. Amoco Offshore oil platform has installed a 75 GPM system to meet the water discharge requirements. Maximum allowable discharge is 29 mg/L, the discharge water being filtered through PL22 is at <3 mg/L.
- N. Iowa D.O.T. installed three 40 GPM filtration systems to handle water discharge requirements at maintenance facilities.
- O. Limited Leasing, St. Louis, operates riverboats on the Mississippi. They have installed a 10 GPM filtration system to meet the water discharge requirements to get by U.S.C.G.
- P. Apogee Environmental has purchased two mobile filtration systems. One 10 GPM system and one 100 GPM system. Both designed to remove TPH and lead.

SUMMARY

PetroLOK™ PL22 filtration media is quickly being recognized as the best available technology (BAT) for applications requiring the removal of floating, dissolved or emulsified hydrocarbons from waste water by filtration.

1. It is extremely efficient.
2. It has a high capacity (each pound will absorb up to 4 pounds of hydrocarbon).
3. It is not subject to breakthrough when used properly.
4. It is fast (reduced retention times mean lower bed volumes required).
5. It saves money compared to other filtration treatments.

ADDENDUM - ENVIRONMENTAL REGULATIONS

Allowable levels of hydrocarbon discharge vary from city-to-city and state-to-state. Discharge regulation's for the most part are getting tighter and enforcement stricter. Today we are faced with two types of discharge requirements.

- I. Industrial Discharge: Water contamination regulated by waste water management Total Oil and Grease (TOG) Total Petroleum Hydrocarbon (TPH). The discharge requirements for waste water management will vary from city-to-city. Example: 1) Washington State varies by location, range 12 25 mg/l to 100mg/l; 2) Louisville, Kentucky 10 PPM/TOG; 3) Ft. Wayne, Indiana 400 PPM/TOG; 4) Boston, Massachusetts 30 PPM/TOG.
- II. Industrial Discharge: US EPA adopted regulations for storm water discharges from certain industrial sites known as National Pollutant Discharge Elimination System (NPDES), November 1990.

The NPDES identifies industrial discharge as toxic pollutants effluent and requires industry to meet the maximum contaminant levels (MCL) for specific pollutants.

NPDES REQUIREMENTS have been considered by EPA for parking lot run-off and a few states have now brought forth regulations requiring filtration for stormwater run off.

Either case requires that new technologies which can process large or small volumes of waste water or storm run-off at reasonable cost are necessary. PetroLOK™ PL22 is one such technology which can be used by public water systems, large industrial users, small business owners and environmental and engineering consultants looking for economic alternatives.

FEDERAL REGULATIONS AND ENFORCEMENT

Allowable concentrations of hydrocarbons and volatile organic compounds (VOC's) are continuing to be reduced. Twenty years ago the regulations were considered very lax compared to the discharge regulation of today. However, the regulations today for acceptable discharge will not be acceptable tomorrow.

US EPA is continuing to regulate the acceptable levels of water contamination and have incorporated enforcement of regulations by the following acts:

- Resource Conservation and Recovery Act (RCRA) * Clean Air Act (CAA)
- Comprehensive Environmental Response, Compensation and Liability Act (CERCLA or Superfund)
- Endangered Species Act
- Rivers and Harbors Act of 1899 (The Refuse Act)
- Marine Protection, Research and Sanctuaries Act of 1972 (The Ocean Dumping Act)

Resource Conservation And Recovery Act.

42 U.S.C. Sections 6901 et seq. govern the generation, transportation, storage, treatment and disposal of hazardous waste. Section 6928 (d) states that to knowingly store, treat, transport or dispose of hazardous waste in violation of the statute, implementing regulations, or one's permit is punishable by 5 years in jail and \$50,000/day of violation. To knowingly violate the Act's record keeping, reporting, or manifesting provisions is punishable by 2 years in jail and \$50,000/day of violation. To knowingly place another in imminent danger of death or serious bodily harm is punishable by 15 years in jail and a \$250,000 fine.

Clean Air Act (CAA).

42 U.S.C. Sections 7401 et seq. govern the emission of hazardous air pollutants. Section 7413 (c) states that to knowingly violate almost any provision on inspections, new source, performance standards, or permit provisions is punishable by 5 years in jail and a \$250,000 fine. To knowingly violate the Act's recordkeeping, reporting, or manifesting provisions is punishable by 2 years in jail and \$250,000/day of violation. Negligent release of a hazardous air pollutant that places another in imminent danger of death or serious bodily harm is punishable by 1 year in jail and a \$250,000 fine. Knowingly, rather than negligent, release is punishable by 15 years in jail and a \$250,000 fine.

Clean Water Act (CWA, also known as the Federal Water Pollution Control Act).

33 U.S.C. Sections 1251 et seq. govern the discharge of pollutants into waters of the United States. Section 1319 (c) states that negligence violation of almost any provision, for example, on permit effluent limitations and wetland permits is punishable by 1 year in jail and a \$25,000. Knowing, rather than negligent, violation is punishable by 3 years in jail and a \$250,000 fine. Knowing that which places another in imminent danger of death or serious

bodily harm is punishable by 15 years in jail and a \$250,000 fine.

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA, or "Superfund"). 42 U.S.C. Sections 9601 et seq. govern the notification and cleanup of spill or releases of hazardous substances into the environment. Section 9603 (b) states that knowing failure of a person in charge to report unpermitted release of certain hazardous substance is punishable by 3 years in jail and a \$250,000 fine.

Endangered Species Act.

16 U.S.C. Section 1540 (b) states that to knowingly violate almost any provisions of the Act, for example, prohibiting adverse impact, (broadly defined) or their designated habitat is punishable by 6 months in jail and \$25,000 fine.

Rivers and Harbors Act of 1899, (the Refuse Act). 33 U.S.C. Sections 401 et seq. govern any construction near or obstruction of U.S. navigable waters. Sections 407 & 411 state that an unpermitted discharge of any refuse matter of any kind or description whatever other than that flowing from streets and sewers and passing therefrom in a liquid state, into any navigable body of water or into any tributary of any navigable water is punished by 1 year in jail and a \$2,500 fine.

Marine Protection, Research, and Sanctuaries Act of 1972, (the Ocean Dumping Act).

33 U.S.C. Sections 1401 et seq. govern dumping of material into the ocean. Section 1411 and 1415 (b) state that unpermitted transportation of any material for the purpose of dumping it into ocean waters is punishable by a fine of not more than \$50,000, or imprisonment for not more than one year, or both.

AN AWS, INC. FILTRATION TECHNOLOGY PRODUCT

PetroLOK™ PL22

(PATENT PENDING)

PetroLOK™ PL22 is a non-toxic, non-corrosive environmentally friendly water filtration media.

PetroLOK™ PL22 filtration media will not only **ADSORB** hydrocarbon contamination, but also **LOCKS IN THE HYDROCARBON**, thus reducing the risk of hydrocarbon leaching during water filtering applications.

PetroLOK™ PL22 combines the effect of **adsorb** and **absorb** for maximum efficiency. PetroLOK™ PL22 can be up to **FORTY (40)** times more efficient than using typical carbon adsorbents.

PetroLOK™ PL22 FACT SHEET

WEIGHT BY VOLUME	One pound equals 96 cubic inches. One cubic foot equals 18 pounds
ABSORPTION CAPACITY	1,816,000 milligrams hydrocarbon per one pound PL22
SPECIFIC GRAVITY	.932 proximate
PH SPECIFICATIONS	Neutral (6.5 to 7)
STORAGE	Keep free of contamination
VOLATILITY BEFORE USE	None
VOLATILITY AFTER USE	Varies with flammability of liquid bonded
DISPOSAL	Caution should be exercised. Dispose of in accordance with federal, state and local laws for bonded liquid
PACKAGING	PetroLOK™ PL22 is packaged in 14 pound bags (.77 cubic feet) or 900 pound bulk containers (50 cubic feet)
TOXICITY	Non-Toxic, Non-Hazardous, Non-Corrosive
NOTICE	All statements, technical information and recommendations contained herein are based on information and tests we believe to be reliable. The accuracy or completeness thereof is not guaranteed.

Standards for Calculating Liquid Phase Filter Beds for PetroLOK PL22

Contaminant Generation

$$(1)a \quad \frac{3.8}{\text{liters/gal}} \times \frac{\quad}{\text{GPM}} \times \frac{\quad}{\text{PPM}} \times \frac{\quad}{\text{min/day}} = \frac{\quad}{\text{Daily Contaminant Generation}} \text{ mg}$$

$$(1)b \quad \frac{3.8}{\text{liters/gal}} \times \frac{\quad}{\text{GPD}} \times \frac{\quad}{\text{PPM}} = \frac{\quad}{\text{Daily Contaminant Generation}} \text{ mg}$$

Filter Bed Calculations by Minutes of Residence Time

$$(2) \quad \frac{\quad}{\text{GPM}} \times \frac{\quad}{\text{* Residence Time in Min}} \div \frac{7.48}{\text{Gal. per cu. ft.}} = \frac{\quad}{\text{Bed Volume}} \text{ cubic feet}$$

$$(3) \quad \frac{\quad}{\text{Bed Volume in cubic ft.}} \times \frac{18}{\text{Density PCF of PL22}} = \frac{\quad}{\text{Bed Weight PL22 in pounds}}$$

$$(4) \quad \frac{\quad}{\text{Bed Weight PL22 in pounds mg/lb.}} \times \frac{1,816,000}{\text{Capacity of PL22}} = \frac{\quad}{\text{Bed Absorb Capacity Generation}} \div \frac{\quad}{\text{Daily Contaminant}} = \frac{\quad}{\text{Bed Life}} \text{ days}$$

Cost Per Gallon Treated

$$(5) \quad \frac{\quad}{\text{Bed Weight PL22 in lbs.}} \times \frac{\quad}{\text{Retail $ / lb.}} \div \frac{\quad}{\text{Bed Life in Days}} \div \frac{\quad}{\text{GPD or GPM x 1440}} = \frac{\quad}{\text{Cost in $ / gallon}}$$

***Residence Time** Minutes that the waste flow is exposed to the adsorb/absorb/bonding function of the media bed.
 BTEX - 3 min.
 Light chlorinated hydrocarbons - 4 min.
 Mixed chlorinated hydrocarbons or levels above 20 PPM - 5 min.

International Note: x = multiply
 ÷ = divide

CURRENT APPLICATIONS

In less than 1 year
PetroLOK PL22
has been used in most
of these applications

Airports	Military Bases
Asphalt Cleaning	Municipalities
Auto Repair Shops	Navy Ships
Car Washes	Oil Refineries
Coal Mines	Parts Washing Firms
Gas Stations	Plastics Industry
Ground Water Remediation	Power Companies
Hydroelectric Dams	Printing Industry
Industrial Laundries	Rail Yards
Marine Industry - Bilge's	Steel Mills
Metal Plating Industry	Waste Water Treatment Plants

PERFORMANCE DATA

The following represents actual applications at installations around the country. While the data is summarized, the actual data is available upon request. the filtration systems are being used to meet or exceed discharge regulations.

-CUSTOMER **Final polish after OWS (oil-water separator) removing BTEX and reducing TPH below 15 mg/l.**

<i>American Marine</i>		<u>Influent</u>	<u>Effluent</u>	<u>Date</u>
<i>New Orleans, LA.</i>	Total Oil & Grease	370. mg/l.	3.8 mg/l.	3/93
<i>Bilge Water Application</i>	Bilge Water & BTEX	54.3 mg/l.	12.4 mg/l.	5/21/93
<i>Test Report MSI-001</i>	Toluene	5.6 ug/l.	ND	5/21/93
<i>ETC/Gulf South Labs</i>	Ethylbenzene	10 ug/l.	ND	5/21/93
	Xylene	26 ug/l.	ND	5/21/93

Final polish to remove BTEX and reduce TPH below 15 mg/l.

<i>Mississippi Marine</i>		<u>Influent</u>	<u>Effluent</u>	<u>Date</u>
<i>Greenville, MS.</i>	Acetone	500 ug/l.	140 ug/l.	3/11/93
<i>AM Test ID 93-A003582*</i>	2-Butanone (MEK)	250 ug/l.	85 ug/l.	3/11/93
<i>AM Test ID 93-A003584**</i>	Benzene	950 ug/l.	< 5 ug/l.	3/11/93
<i>VOC (EPA 624)</i>	Toluene	190 ug/l.	< 5 ug/l.	3/11/93
	Xylene	900 ug/l.	< 1 ug/l.	3/11/93
	Final Oil & Grease		4 mg/l.	4/9/93

Cleaning wash water which contains detergent to below limit of 200

<i>Winona Van Norman</i>		<u>Influent</u>	<u>Effluent</u>	<u>Date</u>
<i>Winona State University</i>	Total Oil & Grease	1048 mg/l.	137 mg/l.	6/21/93
<i>Winona, MN.</i>				

Reduce total oil, grease and BTEX

<i>Dakota Barge</i>		<u>Influent</u>	<u>Effluent</u>	<u>Date</u>
<i>St. Paul, MN.</i>	Total Oil & Grease	110 mg/l.	< 2 mg/l.	9/14/93
<i>FID Flame Ionization Detector</i>	Benzene	24 mg/l.	ND	9/14/93
	Toluene	52 ug/l.	5 ug/l.	9/14/93
	Ethylbenzene	18 ug/l.	ND	9/14/93
	Xylenes	57 ug/l.	7 ug/l.	9/14/93
	FID Scan-Gasoline	< 5 mg/l.	< 5 mg/l.	9/14/93
	FID Scan #2 Fuel Oil	6.4 mg/l.	1.4 mg/l.	9/14/93

Reduce TPH in flight deck drains to below 5 mg/l.

<i>US Navy-Catapult Drain</i>		<u>Influent</u>	<u>Effluent</u>	<u>Date</u>
<i>NNS Laboratory Services</i>	Total Oil & gas	66.7 mg/l.	1.4 mg/l.	12/14/93
<i>Lab #93-015610</i>	(EPA Method 413.1)			

Reduce VOC level in wash water from printing press.

<i>Printing Company</i>		<u>Influent</u>	<u>Effluent</u>	<u>Date</u>
<i>ID #93-003190</i>	Xylenes	11,000 ug/l	900 ug/l	3/9/93
<i>(VOC EPA 624)</i>				

Tests to determine effect of retention time on VOC removal from waste stream. All data is in ug/l (parts/billion). Each column represents retention time in bed.

<i>Holland, MI.</i>		<u>Influent</u>	<u>3 Min.</u>	<u>4 Min.</u>	<u>5 Min.</u>	<u>7 Min.</u>
<i>Test Performed to Reduce VOC's</i>	Benzene	21	< 1	< 1	< 1	< 1
<i>Job #8468</i>	Bromodichloromethane	69	36	< 1	< 1	< 1
<i>6/9/93</i>	Chloroform	19	35	< 1	< 1	< 1
	1,2-Dichlorobenzene	33	< 1	< 1	< 1	< 1
	1,1-Dichloroethane	2722	1467	1	17	31
	1,1-Dichloroethene	2930	1990	21	26	13
	Ethyl Benzene	154	31	< 1	< 1	< 1
	Methylene Chloride	18450	15050	160	120	123
	Tetrachloroethane	4370	1625	11	2	3
	Toluene	670	101	< 1	< 1	< 1
	1,1,1-Trichloroethane	20695	14620	871	216	151
	1,1,2-Trichloroethane	585	245	5	< 1	< 1
	Trichloroethene	2803	740	2	3	32
	Xylenes	1147	150	< 3	< 3	< 3

Tests to determine effect of retention time on VOC removal from waste stream. All data is in ug/l (parts /billion). Each column represents retention time in bed.

<i>Holland MI.</i>		<u>Influent</u>	<u>3 Min.</u>	<u>5 Min.</u>	<u>7 Min.</u>
<i>Test Performed to Reduce VOC's Job #8606 (ENHANCED PL22 FORMULATION) 8/23/93</i>	Benzene	21	< 1	< 1	< 1
	Bromodichloromethane	69	< 1	< 1	< 1
	Chloroform	19	2	2	1
	1,2-Dichlorobenzene	33	< 1	< 1	< 1
	1,1-Dichloroethane	2722	12	21	16
	1,1-Dichloroethene	2930	14	14	< 5
	Ethyl Benzene	154	< 1	< 1	< 1
	Methylene Chloride	18450	46	48	43
	Tetrachloroethane	4370	24	24	34
	Toluene	670	< 1	< 1	< 1
	1,1,1-Trichloroethane	20695	8	11	20
	1,1,2-Trichloroethane	585	6	< 1	< 1
	Trichloroethene	2803	< 1	< 1	< 1
	Xylenes	1147	< 3	< 3	< 3

REMEDIATION FIELD RESULTS

E.S.I.
Indianapolis, IN.

		<u>Influent</u>	<u>Effluent</u>	<u>Date</u>
<i>Marathon Oil Co.</i>				
<i>Tank Farm</i>	TSS	21 mg/l.	0 mg/l.	10/3/94
<i>Test Method EPA 624</i>	TPH	12.8 mg/l.	< 0.1 mg/l.	10/3/94
	Benzene	0.211 mg/l.	< .0001 mg/l.	10/3/94
	Toluene	0.192 mg/l.	< .0001 mg/l.	10/3/94
	Ethyl Benzene	0.106 mg/l.	< .0001 mg/l.	10/3/94
<i>Flow Rate: 40 GPM</i>	Xylene	0.765 mg/l.	< .001 mg/l.	10/3/94

<i>GM Plant</i>				
<i>Test Method EPA 624</i>	PCB's	40 mg/l.	ND	10/3/94
	Chromium (1)	0.02 mg/l.	< 0.01 mg/l.	10/3/94
	Lead	0.16 mg/l.	< 0.01 mg/l.	10/3/94
<i>Flow Rate: 30 GPM</i>	TSS		5 mg/l.	10/3/94
	FOG		< 5 mg/l.	10/3/94

REMEDIATION PROJECT SAN FRANCISCO BAY AREA

Containment pond filling with runoff from heavy spring rains. A 50 gpm filtration system using PetroLOK PL-22 was utilized to remove influent contaminant as noted by testing to discharge levels into San Francisco Bay. First test sampling April 11, 1995, last test sampling May 23, 1995. Total approximate gallons of water filtered through PL-22, 2.1 million.

*Brown & Caldwell
San Francisco, CA.*

	<u>Influent</u>	<u>Effluent</u>	<u>Date</u>
C-1,2 - Dichloroethene	6.3 ug/l.	< 0.5 ug/l.	4/11/95
Trichloroethene	18 ug/l.	< 0.5 ug/l.	4/11/95
1,1 Dichloroethene	.69 ug/l.	< 0.5 ug/l.	5/23/95
T-1,2 - Dichloroethene	.56 ug/l.	< 0.5 ug/l.	5/23/95
C-1,2 - Dichloroethene	61 ug/l.	5.0 ug/l.	5/23/95
1,1,1 Trichloroethene	.54 ug/l.	< 0.5 ug/l.	5/23/95
Trichloroethene	24 ug/l.	< 0.5 ug/l.	5/23/95

MARINE APPLICATIONS

*Colonna's Shipyard
Norfolk, VA*

	<u>Influent</u>	<u>Effluent</u>	<u>Date</u>
<i>Bilge & Degreasing Water</i> TPH	50 mg/l.	ND	4/1/95
<i>Flow Rate 100 GPM, Test Method EPA 413.1</i>			

AMOCO

*Off Shore Oil Platform
Flow Rate 75 GPM*

W.S.O.
(Water Soluble Organic)

<u>Influent</u>	<u>Effluent</u>	<u>Date</u>
100 mg/l.	< 3 mg/l.	3/24/95

SHEEN VAC

Sheen Vac filtration equipment utilizes PetroLOK PL-22 media to remove and absorb hydrocarbons from navigable surface waters..

California Regional Water Quality Control Board Acceptance of SHEEN VAC, 11/21/94.

SLIC: Discharge of Surface Oil Spill Cleanup Water NPDES not needed to remove sheens of small volumes on surface waters when water is filtered through SHEEN VAC equipment.

APOGEE ENVIRONMENTAL PetroLOK™ PL22 FILTRATION SYSTEM

		<u>Influent</u>	<u>Effluent</u>	<u>Date</u>
<i>Ft. Wayne</i>	BTEX	22,060 ug/l.	ND	3/15/95
<i>Remediation Site</i>	Lead (Pb)	14 ug/l.	ND	3/15/95
<i>Total Water process 6,000 gal.</i>				
<i>St. Louis</i>	BTEX	470 ug/l.	1.9 ug/l.	3/15/95
<i>Remediation Site</i>	Lead (Pb)	7 ug/l.	ND	3/15/95
<i>Total Water Process 1,100 gal.</i>				

TRUCK / HEAVY EQUIPMENT SERVICE CENTER

		<u>Influent</u>	<u>Effluent</u>	<u>Date</u>
<i>Ryder Truck</i>				
<i>Test Method EPA 413.1</i>	TOG	50 mg/l.	ND	12/1/94
<i>Test Method</i>	Acetone	71 ug/l.	ND	12/1/94

Application PL22 as polishing filter for Oil Water Separator (OWS)

REESE AIR FORCE BASE

		<u>Influent</u>	<u>Effluent</u>	<u>Date</u>
<i>Reese AFB</i>				
<i>Test Method EPA 524.2</i>	TCE	50 ug/l.	< 0.5 ug/l.	10/29/93 & 2/3/94

To meet Maximum Contaminant Level (MCL) as published in the Safe Drinking Water Act, Title 40 Code of Federal Regulations, Part 141.23